



Section 01 - Identification

Product Identifier	Laundry Soft/Sour
Other Means of Identification	None
Product Use and Restrictions on Use	Incorporates three functional laundry steps in one easy to use combination product.
Initial Supplier Identifier	Advance Chemicals Ltd. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7
Prepared By	ClearTech Industries Inc. Technical Writer Phone: 1 (800) 387-7503
24-Hour Emergency Phone	Phone: 1 (306) 664 – 2522

Section 02 - Hazard Identification

GHS-Classification

Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Irritation	Category 2

Physical Hazards

Corrosive to Metals	Category 1
----------------------------	------------

Warning

Hazards Statements

H315 – Causes skin irritation.
H319 – Causes serious eye irritation.
H290 – May be corrosive to metals.

Pictograms



Precautionary Statements

P234 – Keep only in original container.
P280 – Wear protective gloves, protective clothing, eye protection, and face protection.
P302 + P352 – IF ON SKIN: Wash with plenty of soap and water.
P332 + P313 – If skin irritation occurs: Get medical advice/attention.

P362 – Take off contaminated clothing and wash before reuse.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 – If eye irritation persists: Get medical advice/attention.

P390 – Absorb spillage to prevent material damage.

Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Phosphoric Acid	7664-38-2	10-25%	
Tallow Amido Imidazolinium Methosulphate	68122-86-1	1-15%	
Water and/or ingredients not classified as hazardous under the Hazardous Products Regulations		Balance	

Section 04 - First Aid Measures

Inhalation	If symptoms are experienced, remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek medical attention.
Skin Contact / Absorption	Remove contaminated clothing. Rinse skin with lukewarm, gently flowing water and non-abrasive soap for 30 minutes. If irritation occurs, seek medical attention. Completely decontaminate clothing, shoes and leather goods before re-use or discard.
Eye Contact	Immediately flush eye(s) with lukewarm, gently flowing water for 30 minutes, while forcibly holding the eyelid(s) open to ensure complete irrigation of the eye tissue. If a contact lens is present, remove only if easy to do so. If irritation persists, seek medical attention.
Ingestion	Never give anything by mouth if victim is rapidly losing consciousness, is unconscious or convulsing. Have victim rinse mouth with water. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Have victim rinse mouth again. Seek immediate medical attention.
Additional Information	Not Available

Section 05 - Fire Fighting Measures

Suitable Extinguishing Media	Use dry chemicals, CO ₂ , alcohol foam or water spray.
Unsuitable Extinguishing Media	Not Available
Specific Hazards Arising From the Chemical	Oxides of carbon and phosphorus and ammoniacal vapours may be generated. Can react with metals to produce hydrogen gas.
Special Protective Equipment and Precautions for Fire-Fighters	Wear NIOSH-approved self-contained breathing apparatus and protective gear.
Further Information	Not Available

Section 06 - Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures	Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue.
Environmental Precautions	Prevent material from entering sewers, waterways and confined spaces.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Neutralize with sodium bicarbonate or a mixture of soda ash/lime. Shovel residue into suitable, labelled containers for proper disposal.
LARGE SPILLS: Recover liquid if it can be done safely. Neutralize remaining solution with lime.

Section 07 - Handling and Storage

Precautions for Safe Handling

Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store away from incompatible materials. Keep in original container.

Incompatibilities

Strong caustics, strong oxidizing agents, reducing agents, organic peroxides, fluorides, halogenated organics, cyanides, sulfides, mercaptans, and nitrides.

Section 08 - Exposure Controls and Personal Protection

Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Phosphoric Acid	ACGIH	TLV-TWA	1 mg/m ³
	ACGIH	TLV-STEL	3 mg/m ³
	OSHA	PEL-TWA	1 mg/m ³
	OSHA	PEL-STEL	3 mg/m ³

Engineering Control(s)

Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Other

Emergency shower and eyewash must be available and tested in accordance with regulations and be in close proximity.

Protective Equipment

Eyes/Face

Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when product is handled. Contact lenses should not be worn; they may contribute to severe eye injury.

Hand Protection

Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.

Skin and Body Protection

Body suits, aprons, and/or coveralls of chemical resistant material should be worn at all times. Wash contaminated clothing and dry thoroughly before reuse.

Impervious boots of chemically resistant material should be worn at all times. No special footwear is required other than what is mandated at place of work.

Respiratory Protection

NIOSH/OSHA RECOMMENDATIONS FOR PHOSPHORIC ACID CONCENTRATIONS IN AIR:

Up to 25 mg/m³:
(APF=25) SAR operated in a continuous flow mode.

Up to 50 mg/m³:
(APF=50) Full-facepiece respirator with an N100, R100, or P100 filter; or full-facepiece SCBA; or full-facepiece SAR.

Up to 1,000 mg/m³:
(APF=2,000) Positive pressure, full-facepiece SAR.

EMERGENCY OR PLANNED ENTRY INTO UNKNOWN CONCENTRATIONS OR IDLH CONDITIONS:

(APF=10,000) Positive pressure, full-facepiece SCBA; or positive pressure, full-facepiece SAR with an auxiliary positive pressure SCBA.

ESCAPE:

(APF=50) Full-facepiece respirator with high-efficiency particulate filter(s); or escape-type SCBA.

NOTE: The IDLH concentration for phosphoric acid is 1,000 mg/m³.

Thermal Hazards

Not Available

Section 09 - Physical and Chemical Properties

Appearance

Physical State	Liquid
Colour	Pink
Odour	Fresh scent
Odour Threshold	Not Available

Property

pH	3
Melting Point/Freezing Point	<0°C
Initial Boiling Point and Boiling Range	>100°C
Flash Point	Not Applicable
Evaporation Rate	Not Available
Flammability	Non-flammable
Upper Flammable Limit	Not Applicable
Lower Flammable Limit	Not Applicable
Vapour Pressure (mm Hg, 20°C)	Not Available
Vapour Density (Air=1)	Not Available
Relative Density	Not Available
Solubility(ies)	Soluble in water
Partition Coefficient: n-octanol/water	Not Available
Auto-ignition Temperature	Not Applicable
Decomposition Temperature	Not Available
Viscosity	Not Available

Explosive Properties	None
Specific Gravity (Water=1)	1.04
% Volatiles by Volume	Not Available
Formula	Mixture
Molecular Weight	Not Available

Section 10 - Stability and Reactivity

Reactivity	Not Available
Stability	Normally stable.
Possibility of Hazardous Reactions	Hazardous polymerization will not occur.
Conditions to Avoid	Heat.
Incompatible Materials	Strong caustics, strong oxidizing agents, reducing agents, organic peroxides, fluorides, halogenated organics, cyanides, sulfides, mercaptans, and nitrides.
Hazardous Decomposition Products	Oxides of carbon and phosphorus may be generated.

Section 11 - Toxicological Information

Acute Toxicity Estimate

Component	Oral LD₅₀	Dermal LD₅₀	Inhalation LC₅₀
Laundry Soft/Sour	6,800 mg/kg	5,600 mg/kg	947 mg/m ³

This product has been classified in accordance with the Hazardous Products Regulations using ATE formula documented in the GHS standard.

Chronic Toxicity – Carcinogenicity

Component	IARC
Laundry Soft/Sour	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Skin Corrosion/Irritation	May cause skin irritation.
Ingestion	Can cause burns to the lips, tongue, throat, esophagus and stomach.
Inhalation	Inhalation of mists and vapours may cause depression of the central nervous causing drowsiness and dizziness.
Serious Eye Damage/Irritation	May cause eye irritaiton.
Respiratory or Skin Sensitization	Not Available
Germ Cell Mutagenicity	Not Available
Reproductive Toxicity	Not Available
STOT-Single Exposure	May cause drowsiness and dizziness.
STOT-Repeated Exposure	Not Available

Aspiration Hazard Not Available

Synergistic Materials Not Available

Section 12 – Ecological Information

Ecotoxicity

Component	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Phosphoric Acid	EC ₅₀ (Pseudokirchneriella subcapitata, 72hr): 32.0mg/L	LC ₅₀ (Oryzias latipes, 96hr): 75.1mg/L	EC ₅₀ (Daphnia magna, 48hr): >376mg/L
Biodegradability	Not Available		
Bioaccumulation	Not Available		
Mobility	Not Available		
Other Adverse Effects	Not Available		

Section 13 – Disposal Considerations

Waste From Residues/Unused Products Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Contaminated Packaging Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 14 – Transport Information

UN Number	UN1805				
UN Proper Shipping Name	PHOSPHORIC ACID SOLUTION				
Transport Hazard Class(es)	8				
Packaging Group	III				
Environmental Hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.				
Special Precautions	Not Available				
Transport in Bulk	Not Available				
Additional Information	<table><tbody><tr><td><u>Packing Group</u></td><td><u>Limited Quantity Index</u></td></tr><tr><td>III</td><td>5 L</td></tr></tbody></table>	<u>Packing Group</u>	<u>Limited Quantity Index</u>	III	5 L
<u>Packing Group</u>	<u>Limited Quantity Index</u>				
III	5 L				

TDG

Other Secure containers (full and/or empty) with suitable hold down devices during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

Section 15 – Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

Section 16 – Other Information

Preparation Date December 17, 2015

Revision Date 2017 January 8

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution[®] initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB
- 6) ECHA

Advance Chemicals Ltd. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7

Phone: 1(306) 664 – 2522

Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations – 1(306) 664-2522