

Section 01 Identification

Product Identifier Elsro RC1100 Rubberized Crack Filler

Other Means of Identification Not available

Product Use and Restrictions Asphaltic Crack Filler

on Use

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Skin corrosion / irritation Category 2

Signal Word

Warning

Hazard Statements

H315 Causes skin irritation.

Pictograms



Precautionary Statements

Prevention

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloves

Response

P303 P352 P332 IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs: Get medical advice / P313 P362 P364 attention. Take off contaminated clothing and wash it before reuse.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 01, 2024 Page 1 of 7

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) **CAS** number Concentration (w/w%)

8052-42-4 65-70% Asphalt Asphalt; Bitumen

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

Ingestion Rinse mouth. Get medical advice / attention if you feel unwell or are concerned.

Skin Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated contact

clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 15 to 20

minutes. Get medical advice / attention. Wash contaminated clothing before re-use, or discard.

Eye If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the

contact eyelids open. If eye irritation persists: Get medical advice / attention.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation. Ingestion May cause discomfort or nausea.

Skin contact Causes skin irritation.

Eve contact May cause eye irritation and redness.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

the chemical

Specific hazards arising from In the event of a fire oxides of carbon, nitrogen, and sulphur may be released.

for fire-fighters

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / **Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area.

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: May 01, 2024 Page 2 of 7

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

Incompatibilities Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Section 08 Exposure Controls and Personal Protection

Exposure limits

| Component | Regulation | Type of listing | Value |
|---|------------|-----------------|-----------------------|
| Asphalt (Bitumen) fume, as benzene-soluble aerosol. Inhalable | ACGIH | TWA | 0.5 mg/m ³ |

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

No specific recommendations beyond the required hygiene facilities at the place of work.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, are recommended. Contact lenses are not

recommended; they may contribute to severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or

discard.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 3 of 7

NIOSH respirator recommendations for: Fumes generated during the production or application of asphalt (a dark-brown to black cement-like substance manufactured by the vacuum distillation of crude petroleum oil).

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary selfcontained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter. Any appropriate escape-type, self-contained breathing apparatus

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Liquid Colour Black

Odour Not available Odour threshold Not available

Property

Not available Hq Melting point / freezing point Not available 100 °C Initial boiling point and

boiling range

Flash point Not available **Evaporation rate** Not available

Flammability Not applicable Not available Upper flammable limit Lower flammable limit Not available Not available Vapour pressure Not available Vapour density Relative density Not applicable Solubility Not available Not available

Partition coefficient: n-

octanol/water

Auto-ignition temperature Not available **Decomposition temperature** Not available

Viscosity 70-90 Krebs @ 25 °C

Specific gravity ~1

Revision Date: May 01, 2024

Particle characteristics Not applicable

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Section 10 Stability and Reactivity

Reactivity Not available

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials.

Incompatible materials Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon, nitrogen, and sulphur.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

| Component | Route | Species | Value | Exposure time |
|-----------|------------|---------|-------------------------|---------------|
| Asphault | Oral | Rat | >5000 mg/kg bw | |
| | Dermal | Rat | >2000 mg/kg bw | |
| | Inhalation | Rat | >94.4 mg/m ³ | 4.5 hour |

Toxic Health Effect Summary

Chemical No known effects

characteristics

Skin

Causes skin irritation.

IngestionMay cause discomfort or nausea.InhalationMay cause respiratory irritation.Eye contactMay cause eye irritation and redness.

Sensitization This product and its components at their listed concentration have no known sensitizing effects.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

Carcinogenicity IARC has classified Bitumens, occupational exposure to straight-run bitumens and their emissions

during road paving as group 2B, possibly carcinogenic to humans.

Reproductive

toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard Not available Synergistic Not available

materials

Section 12 Ecological Information

Ecotoxicity

there is no available toxicity data for this product.

Biodegradability The domestic substance list categorizes asphalt as persistent.

Bioaccumulation The domestic substance list categorizes asphalt as non-bioaccumulative.

Mobility Insoluble in water

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: May 01, 2024 Page 5 of 7

Other adverse effects Not available

Section 13 Disposal Considerations

Waste From Residues / Unused Products

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number This product does not meet the definition of dangerous goods per Part 2 of Transport of

Dangerous Goods Regulations

UN proper shipping name

and description

Not available

Transport hazard class(es) Not available Packing group Not available **Excepted quantities** Not available

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special precautions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: May 01, 2024

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 01, 2024

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit: Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/15585
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide

Customer Service: 800.387.7503 Emergency: 306.664.2522 Revision Date: May 01, 2024 Page 7 of 7