

Section 01 Identification

Product Identifier Ethylene Glycol

Other Means of Identification Ethane-1,2-diol; Monoethylene glycol; Ethylene alcohol; 107-21-1

on Use

Product Use and Restrictions Heat transfer fluids, antifreeze, production of polyester.

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Acute toxicity - oral Category 4 Specific target organ toxicity - Category 2

repeated exposure

Signal Word

Warning

Hazard Statements

H302 Harmful if swallowed.

H373 May cause damage to kidneys through prolonged or repeated oral exposure.

Pictograms



Precautionary Statements

Prevention

P260 Do not breathe vapours, fumes, or mists.

P264 Wash affected body parts thoroughly after handling.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: May 13, 2024

Page 1 of 7

P270 Do not eat, drink or smoke when using this product.

Response

P301 P312 P330 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P314 Get medical advice or attention if you feel unwell.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations

including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Ethylene glycol; Ethane-1,2-107-21-1 1,2-Ethanediol >99%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned.

Ingestion Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

contact irritation occurs or if you feel unwell: Get medical advice / attention.

Eye If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the

eyelids open. If eye irritation persists: Get medical advice / attention. contact

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation.

Ingestion Harmful if swallowed. May cause damage to kidneys through prolonged or repeated oral exposure.

Skin contact Not available

May cause eye irritation and redness. Eve contact

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

the chemical

Specific hazards arising from In the event of a fire oxides of carbon may be released.

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective for fire-fighters clothing.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 13, 2024 Page 2 of 7

Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area.

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product.

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry area, out of direct sunlight, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

Incompatibilities Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Component	Regulation	Type of listing	Value
Ethylene glycol - Total, aerosol only	ACGIH	Ceiling	100 mg/m³
		TWA	10 mg/m³
		STEL	20 mg/m³
Ethylene glycol - Vapour		Ceiling	50 ppm

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

> control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other No specific recommendations beyond the required hygiene facilities at the place of work.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, safety glasses are recommended. Contact

lenses are not recommended; they may contribute to severe eye injury.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 13, 2024 Page 3 of 7

Hand and body protection

Where handling this product it is recommended that skin contact is avoided.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Liquid

Colour Colourless, clear

Odour Sweet

Odour threshold Not applicable

Property

рΗ 8.5-9.5 Melting point / freezing point -13 °C Initial boiling point and 196 °C

boiling range

116 °C Flash point ~0.01 **Evaporation rate**

Flammability Not applicable Upper flammable limit Not available Lower flammable limit Not available

Vapour pressure 0.06 mmHg @ 20 °C

Vapour density Not available Relative density Not applicable Soluble in water Solubility

Partition coefficient: n-

octanol/water

-1.36

Auto-ignition temperature 427 °C 206°C **Decomposition temperature**

Viscosity Not available

Specific gravity 1.116 g/mL @ 20 °C Particle characteristics Not applicable

Section 10 Stability and Reactivity

Reactivity

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials.

Incompatible materials Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 13, 2024

Page 4 of 7

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route **Species** Value **Exposure time** 7712 mg/kg bw Ethylene glycol Oral Rat >2.5 mg/L 6 hours Inhalation (aerosol) Rat Dermal Mouse >3500 mg/kg bw

Toxic Health Effect Summary

Chemical characteristics Not available

Skin Not available

Ingestion Harmful if swallowed. May cause damage to kidneys through prolonged or repeated oral exposure.

Inhalation May cause respiratory irritation.

Eve contact May cause eye irritation and redness.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. Mutagenicity This product and its components at their listed concentration have no known mutagenic effects. Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects. Reproductive This product and its components at their listed concentration have no known reproductive effects.

toxicity

Specific organ

May cause damage to kidneys through prolonged or repeated oral exposure.

Aspiration hazard Not available **Synergistic** Not available

materials

toxicity

Section 12 Ecological Information

Ecotoxicity

Component	Туре	Species	Value	Exposure Time
Ethylene glycol	LC50	Rainbow trout	72,860 mg/L	96 hours
	EC50	Daphnia	>13,900 mg/L	48 hours
	EC10	Freshwater algae	100 mg/L	72 hours

Biodegradability The domestic substance list categorizes ethylene glycol as non-persistent.

Bioaccumulation The domestic substance list categorizes ethylene glycol as non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Not available Other adverse effects

Section 13 Disposal Considerations

Waste From Residues / **Unused Products**

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 13, 2024

Page 5 of 7

Section 14 Transport Information

UN number This product does not meet the definition of dangerous goods per Part 2 of Transport of

Dangerous Goods Regulations

UN proper shipping name

and description

Not available

Transport hazard class(es)

Packing group

Not available

Excepted quantities

Not available

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special precautions

Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: May 13, 2024

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html

2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 6 of 7

- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/15973
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 13, 2024

Page 7 of 7