



Safety Data Sheet

Section 01 Identification

Product Identifier	Filter Sand and Gravel Filtersand, (8/16) Filtersand, 0.85-1.20 mm (10/20) Filtersand, 0.45-0.53 mm (20/40) Filtersand, 0.3-0.4 mm (30/50) Gravel, 3/4 X 1/2 (filter gravel) Gravel, 1/2 X 1/4 (filter gravel) Gravel, 1/8 X 1/16 (filter gravel)
Other Means of Identification	Not available
Product Use and Restrictions on Use	Filter media for industrial or commercial use. Do not use for sand blasting.
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca
Prepared By	ClearTech Industries Inc. technical writer
24-Hour Emergency Phone	306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Carcinogenicity Category 1

Specific target organ toxicity - repeated exposure Category 1

Signal Word

Danger

Hazard Statements

H350 May cause cancer through prolonged or repeated inhalation.

H372 Causes damage to lungs through prolonged or repeated inhalation.

Pictograms



Precautionary Statements

Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust.
- P264 Wash affected body parts thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

- P308 P313 IF exposed or concerned: Get medical advice or attention.
- P314 Get medical advice or attention if you feel unwell.

Storage

- P405 Store locked up.

Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Quartz (SiO ₂)	Sand	14808-60-7	>90%

Section 04 First-Aid Measures

Description of necessary first-aid measures

- Inhalation** If exposed or concerned: Get medical advice / attention.
- Ingestion** Get medical advice / attention if you feel unwell or are concerned. If exposed or concerned: Get medical advice / attention.
- Skin contact** Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin irritation occurs or if you feel unwell: Get medical advice / attention. If exposed or concerned: Get medical advice / attention.

Eye contact Gently brush product off face. Do not rub eyes. Let the eyes water naturally for a few minutes. Look right and left, then up and down. If particle / dust does not come out, cautiously rinse eye with lukewarm gently flowing water for 5 minutes or until particle / dust is removed, while holding the eyelids open. If eye irritation persists: Get medical advice / attention. Do not attempt to manually remove anything from the eyes.

Most important symptoms and effects, both acute and delayed

Inhalation Causes damage to lungs through prolonged or repeated inhalation.
Ingestion May cause discomfort or nausea.
Skin contact Not available
Eye contact May cause eye irritation and redness.
Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.
Unsuitable extinguishing media Water jets are not recommended in fires involving chemicals.
Specific hazards arising from the chemical Not available
Special protective equipment for fire-fighters Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not breathe dust.
Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
Methods and Materials for Containment and Cleaning Up Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.
Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.
Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.
Incompatibilities Not available

Section 08 Exposure Controls and Personal Protection

Exposure limits

Safety Data Sheet

Filter Sand and Gravel
ClearTech Industries Inc

Component	Regulation	Type of listing	Value
Silica, Crystalline - alpha quartz and Cristobalite, Respirable	ACGIH	TWA	0.025 mg/m ³

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Other No specific recommendations beyond the required hygiene facilities at the place of work.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection Where handling this product it is recommended that skin contact is avoided. Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

NIOSH respirator recommendations for: Silica, crystalline (as respirable dust)

Up to: 0.5 mg/m³

(APF = 10) Any particulate respirator equipped with an N95, R95, or P95 filter (including N95, R95, and P95 filtering facepieces) except quarter-mask respirators. The following filters may also be used: N99, R99, P99, N100, R100, P100.

Up to: 1.25 mg/m³

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter

Up to: 2.5 mg/m³

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted N100, R100, or P100 filter.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and a high-efficiency particulate filter.

Up to: 25 mg/m³

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus
(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Solid
Colour Variable
Odour Not available
Odour threshold Not available

Property

pH Not available
Melting point / freezing point Not available
Initial boiling point and boiling range Not available
Flash point Not applicable
Evaporation rate Not available
Flammability Non-flammable
Upper flammable limit Not available
Lower flammable limit Not available
Vapour pressure Not available
Vapour density Not available
Relative density 2.5-2.8 g/cm³
Solubility Insoluble in water
Partition coefficient: n-octanol/water Not available
Auto-ignition temperature Not available
Decomposition temperature Not available
Viscosity Not applicable
Specific gravity Not applicable
Particle characteristics Particle size: Not available
Particle shape: Granules

Section 10 Stability and Reactivity

Reactivity Non-reactive under standard temperature and pressure.
Stability This product is stable if stored according to the recommendations in Section 07.
Possibility of hazardous reactions Hazardous polymerization is not known to occur.
Conditions to avoid Avoid contact with incompatible materials.
Incompatible materials Not available
Hazardous decomposition products Not available

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

There is no available toxicity data for this product.

Toxic Health Effect Summary

Chemical characteristics	The dust of this product is insoluble.
Skin	Not available
Ingestion	May cause discomfort or nausea.
Inhalation	Causes damage to lungs through prolonged or repeated inhalation.
Eye contact	May cause eye irritation and redness.
Sensitization	This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity	This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity	ACGIH has classified this product or one or more of its components as category A2 - Suspected human carcinogen. IARC has classified this product or one or more of its components as group 1, carcinogenic to humans.
Reproductive toxicity	This product and its components at their listed concentration have no known reproductive effects.
Specific organ toxicity	Causes damage to lungs through prolonged or repeated inhalation.
Aspiration hazard	Not available
Synergistic materials	Not available

Section 12 Ecological Information

Ecotoxicity

there is no available toxicity data for this product.

Biodegradability	The domestic substance list categorizes all of the components of this product as persistent.
Bioaccumulation	The domestic substance list categorizes all of the components of this product as non-bioaccumulative.
Mobility	Insoluble in water
Other adverse effects	Not available

Section 13 Disposal Considerations

Waste From Residues / Unused Products	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number	This product does not meet the definition of dangerous goods per Part 2 of Transport of Dangerous Goods Regulations
------------------	---------------------------------------------------------------------------------------------------------------------

UN proper shipping name and description	Not available
Transport hazard class(es)	Not available
Packing group	Not available
Excepted quantities	Not available
Environmental hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions	No special precautions
Transport in bulk	ERAP index: not available
	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code.
Additional information	Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: December 21, 2023

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/default.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Foard of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://echa.europa.eu/registration-dossier/-/registered-dossier/25239>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*

- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide