



# Safety Data Sheet

---

## Section 01 Identification

---

<b>Product Identifier</b>	Potassium Permanganate, all grades Potassium Permanganate, Crystal Grade, NSF® - 60 Potassium Permanganate, Free Flowing Grade, NSF® - 60
<b>Other Means of Identification</b>	Pot perm, 7722-64-7, Permanganic acid (HMnO4), potassium salt
<b>Product Use and Restrictions on Use</b>	Oxidizing and bleaching, disinfectant, deodorizer, removes iron and manganese from water, tanning, algacide, dye ingredient.
<b>Initial Supplier Identifier</b>	ClearTech Industries Inc 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7  Phone: 800.387.7503 Fax: 888.281.8109 <a href="http://www.cleartech.ca">www.cleartech.ca</a>
<b>Prepared By</b>	ClearTech Industries Inc. technical writer
<b>24-Hour Emergency Phone</b>	306.664.2522

---

## Section 02 Hazard Identification

---

### Physical Hazards

**Oxidizing solid** Category 2

### Health Hazards

**Acute toxicity - oral** Category 4  
**Skin corrosion / irritation** Category 1C  
**Serious eye damage / eye irritation** Category 1  
**Reproductive toxicity** Category 2  
**Specific target organ toxicity - repeated exposure** Category 2

### Signal Word

Danger

### Hazard Statements

H272 May intensify fire; oxidizer.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to the brain via inhalation

### Pictograms



## Precautionary Statements

### Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P260 Do not breathe dust.
- P264 Wash affected body parts thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves, protective clothing, eye protection, face protection

### Response

- P301 P312 P330 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.
- P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 P313 IF exposed or concerned: Get medical advice or attention.
- P314 Get medical advice or attention if you feel unwell.

### Storage

- P405 Store locked up.

### Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

## Hazards Not Otherwise Classified

Not available

## Supplemental Information

Not available

---

## Section 03 Composition / Information on Ingredients

---

### Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Permanganic acid (HMnO <sub>4</sub> ), potassium salt	Potassium permanganate	7722-64-7	>95%

---

## Section 04 First-Aid Measures

---

### Description of necessary first-aid measures

- Inhalation** Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device. If exposed or concerned: Get medical advice / attention.
- Ingestion** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, lie on your side, in the recovery position. Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. If exposed or concerned: Get medical advice / attention.
- Skin contact** Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes. Store contaminated clothing under water and wash before re-use or discard. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard. If exposed or concerned: Get medical advice / attention.
- Eye contact** Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

### Most important symptoms and effects, both acute and delayed

- Inhalation** Causes severe burns to the mouth and throat. Suspected of causing damage to the brain via prolonged or repeated exposures.
- Ingestion** Causes burns to the mouth and throat. Harmful if swallowed. Suspected of causing birth defects via prolonged exposure.
- Skin contact** Causes severe skin burns.
- Eye contact** Causes serious eye damage.
- Further information** For further information see Section 11 Toxicological Information.

---

## Section 05 Fire Fighting Measures

---

- Suitable extinguishing media** This material is an oxidizer. Use large quantities of water as fog to fight fires in which this material is involved.
- Unsuitable extinguishing media** Carbon dioxide or other extinguishing agents that smother flames are not effective in fires involving oxidizers. Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed. Water jets are not recommended in fires involving chemicals.
- Specific hazards arising from the chemical** May intensify fire; oxidizer. In the event of a fire oxides of potassium and manganese, and formic acid may be released.
- Special protective equipment for fire-fighters** Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

---

## Section 06 Accidental Release Measures

---

- Personal Precautions / Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Stay upwind, ventilate area. Do not breathe dust.

<b>Environmental Precautions</b>	Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
<b>Methods and Materials for Containment and Cleaning Up</b>	Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

---

## Section 07 Handling and Storage

---

<b>Precautions for Safe Handling</b>	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of dust into the workplace air. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available. Never return contaminated material to its original container.
<b>Conditions for Safe Storage</b>	Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.
<b>Incompatibilities</b>	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Powdered metals, peroxides, zinc, copper, alcohols.

---

## Section 08 Exposure Controls and Personal Protection

---

### Exposure limits

Component	Regulation	Type of listing	Value
Manganese (as Mn) - total	ACGIH	TWA	0.2 mg/m <sup>3</sup>
Manganese (as Mn) - respirable	ACGIH	TWA	0.02 mg/m <sup>3</sup>

### Engineering controls

<b>Ventilation Requirements</b>	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.
<b>Other</b>	An emergency shower and eyewash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

### Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

<b>Eye and face protection</b>	Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.
--------------------------------	--

<b>Hand and body protection</b>	Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.
<b>Respiratory protection</b>	In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available

## Section 09 Physical and Chemical Properties

### Appearance

<b>Physical state</b>	Crystals or granules
<b>Colour</b>	Dark purple
<b>Odour</b>	Not available
<b>Odour threshold</b>	Not available

### Property

<b>pH</b>	Not available
<b>Melting point / freezing point</b>	Not available
<b>Initial boiling point and boiling range</b>	Not available
<b>Flash point</b>	Not applicable
<b>Evaporation rate</b>	Not available
<b>Flammability</b>	
<b>Upper flammable limit</b>	Not available
<b>Lower flammable limit</b>	Not available
<b>Vapour pressure</b>	Not available
<b>Vapour density</b>	Not available
<b>Relative density</b>	2.70 g/cm <sup>3</sup>
<b>Solubility</b>	65 g/L @ 20 °C in water
<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Auto-ignition temperature</b>	Not available
<b>Decomposition temperature</b>	Not available
<b>Viscosity</b>	Not applicable
<b>Specific gravity</b>	Not applicable
<b>Formula</b>	KMnO <sub>4</sub>
<b>Molecular weight</b>	157.88 g/mol

## Section 10 Stability and Reactivity

<b>Reactivity</b>	Reacts violently with acids. This product is an oxidizer and will react with reducing agents and organic compounds such as paper or wood to produce heat and could potentially catch fire.
<b>Stability</b>	This product is stable if stored according to the recommendations in Section 07.

# Safety Data Sheet

Potassium Permanganate, all grades  
ClearTech Industries Inc

<b>Possibility of hazardous reactions</b>	Hazardous polymerization is not known to occur.
<b>Conditions to avoid</b>	Avoid contact with incompatible materials.
<b>Incompatible materials</b>	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Powdered metals, peroxides, zinc, copper, alcohols.
<b>Hazardous decomposition products</b>	Thermal decomposition may produce oxides of potassium and manganese, and formic acid.

## Section 11 Toxicological Information

### Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Potassium permanganate	Oral	Rat	2,000 mg/kg bw	
	Dermal	Rat	>2,000 mg/kg bw	

### Toxic Health Effect Summary

<b>Chemical characteristics</b>	This product is a strong oxidizer. Manganese is an essential nutrient, but overexposure has been linked to brain damage.
<b>Skin</b>	Causes severe skin burns.
<b>Ingestion</b>	Causes burns to the mouth and throat. Harmful if swallowed. Suspected of causing birth defects via prolonged exposure.
<b>Inhalation</b>	Causes severe burns to the mouth and throat. Suspected of causing damage to the brain via prolonged or repeated exposures.
<b>Eye contact</b>	Causes serious eye damage.
<b>Sensitization</b>	This product and its components at their listed concentration have no known sensitizing effects.
<b>Mutagenicity</b>	This product and its components at their listed concentration have no known mutagenic effects.
<b>Carcinogenicity</b>	This product and its components at their listed concentration have no known carcinogenic effects.
<b>Reproductive toxicity</b>	Studies on laboratory animals exposed to this product are associated with damage fertility or the unborn child.
<b>Specific organ toxicity</b>	May cause damage to the brain via inhalation
<b>Aspiration hazard</b>	Not available
<b>Synergistic materials</b>	Not available

## Section 12 Ecological Information

### Ecotoxicity

Component	Type	Species	Value	Exposure Time
Potassium permanganate	LC50	Fish	0.47 mg/L	96 hours
	EC50	Aquatic invertebrates	0.06 mg/L	48 hours
	EC50	Algae	0.43 mg/L	72 hours

<b>Biodegradability</b>	The domestic substance list categorizes potassium permanganate as non-persistent.
<b>Bioaccumulation</b>	The domestic substance list categorizes potassium permanganate as non-bioaccumulative.
<b>Mobility</b>	This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water.
<b>Other adverse effects</b>	The domestic substance list categorizes potassium permanganate as inherently toxic to aquatic organisms. Not available

## Section 13 Disposal Considerations

<b>Waste From Residues / Unused Products</b>	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
<b>Contaminated Packaging</b>	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

## Section 14 Transport Information

<b>UN number</b>	UN1490
<b>UN proper shipping name and description</b>	POTASSIUM PERMANGANATE
<b>Transport hazard class(es)</b>	5.1
<b>Packing group</b>	II
<b>Excepted quantities</b>	1 kg
<b>Environmental hazards</b>	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
<b>Special precautions</b>	No special provisions
<b>Transport in bulk</b>	ERAP index: not available
<b>Additional information</b>	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code. Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

**TDG PRODUCT CLASSIFICATION:** This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

## Section 15 Regulatory Information.

**NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.**

All components of this product appear on the domestic substance list.

NSF Certification: Product is certified under NSF / ANSI Standard 60 for Disinfection & Oxidation at a maximum dosage of: 50 mg/LNSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

## Section 16 Other Information

**Date of latest revision: November 20, 2020**

**Note:** The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

**Attention: Receiver of the chemical goods / SDS coordinator**

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

**References:**

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN