



Safety Data Sheet

Section 01 - Identification

Product Identifier	ClearFoam 3412
Other Means of Identification	None
Product Use and Restrictions on Use	Concentrate antifoam agent for oil and gas applications.
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7
Prepared By	ClearTech Industries Inc. Technical Writer Phone: 1 (800) 387-7503
24-Hour Emergency Phone	Phone: 1 (306) 664 – 2522

Section 02 - Hazard Identification

GHS-Classification

This product has been assessed in accordance with the Hazardous Products Regulations and is not classified as a hazardous substance or mixture.

Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Polyethylene glycol, propoxylated	9003-11-6	<60%	

Section 04 - First Aid Measures

Inhalation	If symptoms are experienced, remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek medical attention.
Skin Contact / Absorption	Remove contaminated clothing. Rinse skin with lukewarm, gently flowing water and non-abrasive soap. If irritation occurs or persists, seek medical attention.
Eye Contact	Immediately flush eye(s) with lukewarm, gently flowing water for 30 minutes while forcibly holding the eyelids open to ensure complete irrigation of the eye tissue. If irritation persists, seek medical attention.
Ingestion	Never give anything by mouth if victim is rapidly losing consciousness, is unconscious or convulsing. Have victim rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Seek medical attention.
Additional Information	Not Available

Section 05 - Fire Fighting Measures

Suitable Extinguishing Media	SMALL FIRES: Carbon dioxide or dry chemical powder. LARGE FIRES: Water spray or alcohol resistant foam.
Unsuitable Extinguishing Media	Not Available
Specific Hazards Arising From the Chemical	Carbon monoxide and formaldehyde may form in a fire. Heat can cause a build-up of pressure inside containers, which may cause explosive rupture.
Special Protective Equipment and Precautions for Fire-Fighters	Wear NIOSH-approved self-contained breathing apparatus and protective gear.
Further Information	Not Available

Section 06 - Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures	Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue. Spilled material may be slippery.
Environmental Precautions	Prevent product from entering sewers.
Methods and Materials for Containment and Cleaning Up	Clean up spill with non-reactive absorbent and place in suitable, labelled containers for proper disposal.

Section 07 - Handling and Storage

Precautions for Safe Handling	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area away from direct sunlight. Keep away from heat and incompatible materials. Do not freeze.
Incompatibilities	Strong acids, strong bases and oxidizing agents.

Section 08 - Exposure Controls and Personal Protection

Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Polyethylene glycol, propoxylated	Not Established		

Engineering Control(s)

Ventilation Requirements	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.
Other	Emergency shower and eyewash must be available and tested in accordance with regulations and be in close proximity.

Protective Equipment

Eyes/Face	Chemical safety glasses with side shields should be worn while product is being handled.
------------------	--

Hand Protection	No specific requirements, but it is good practice to prevent skin contact by wearing impervious gloves of chemical resistance.
Skin and Body Protection	No specific requirements, but it is good practice to prevent skin contact by wearing body suits, aprons and/or coveralls. No special footwear is required other than what is mandated at place of work.
Respiratory Protection	If exposure limits are exceeded, wear NIOSH-approved respirator for dusts and mists.
Thermal Hazards	Not Available

Section 09 - Physical and Chemical Properties

Appearance

Physical State	Liquid
Colour	Creamy, opaque
Odour	Not Available
Odour Threshold	Not Available

Property

pH	5.5-7.5 (1-10% solution)
Melting Point/Freezing Point	Pour point: -40 to -20°C (-40 to 68°F)
Initial Boiling Point and Boiling Range	>200°C (392°F); may decompose
Flash Point	150-235°C (302-455°F)
Evaporation Rate	Negligible
Flammability	Non-flammable
Upper Flammable Limit	Not Available
Lower Flammable Limit	Not Available
Vapour Pressure (mm Hg, 20°C)	Extremely low
Vapour Density (Air=1)	Not Applicable
Relative Density	Not Available
Solubility(ies)	Soluble in water. Soluble in many polar organic solvents. Insoluble in nonpolar solvents.
Partition Coefficient: n-octanol/water	Not Available
Auto-ignition Temperature	Not Available
Decomposition Temperature	>200°C (392°F)
Viscosity	171-890

Explosive Properties	None
Specific Gravity (Water=1)	1-1.06
% Volatiles by Volume	Not Available
Formula	Mixture
Molecular Weight	Not Available

Section 10 - Stability and Reactivity

Reactivity	Not Available
Stability	Stable under recommended conditions.
Possibility of Hazardous Reactions	Hazardous polymerization will not occur.
Conditions to Avoid	Not Available
Incompatible Materials	Strong acids, strong bases and oxidizing agents.
Hazardous Decomposition Products	Aldehydes, ketones, organic acids, polymer fragments, alcohols, ethers, hydrocarbons, carbon monoxide, carbon dioxide, unburned hydrocarbons, formaldehyde, silicon dioxide.

Section 11 - Toxicological Information

Acute Toxicity

Component	Oral LD₅₀	Dermal LD₅₀	Inhalation LC₅₀
ClearFoam 3412	Not Available	Not Available	Not Available

Chronic Toxicity – Carcinogenicity

Component	IARC
ClearFoam 3412	Not Available

Skin Corrosion/Irritation	No adverse effects expected.
Ingestion	Ingestion of large amounts may cause gastro intestinal discomfort, nausea, vomiting and diarrhea.
Inhalation	Vapours from heated material or mist may irritating the respiratory tract.
Serious Eye Damage/Irritation	May cause mild irritation.
Respiratory or Skin Sensitization	Not Available
Germ Cell Mutagenicity	Not Available
Reproductive Toxicity	Not Available
STOT-Single Exposure	Not Available
STOT-Repeated Exposure	Not Available
Aspiration Hazard	Not Available
Synergistic Materials	Not Available

Section 12 – Ecological Information

Ecotoxicity

Component	Toxicity to Algae	Toxicity to Fish	Toxicity to Daphnia and Other Aquatic Invertebrates
Polyethylene glycol, propoxylated	Not Available	Not Available	Not Available
Biodegradability	Not Available		
Bioaccumulation	Not Available		
Mobility	Not Available		
Other Adverse Effects	Not Available		

Section 13 – Disposal Considerations

Waste From Residues/Unused Products	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 14 – Transport Information

UN Number	Not Regulated
UN Proper Shipping Name	Not Regulated
Transport Hazard Class(es)	Not Regulated
Packaging Group	Not Regulated
Environmental Hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special Precautions	Not Available
Transport in Bulk	Not Available

TDG

Other	Secure containers (full and/or empty) with suitable hold down devices during shipment and ensure all caps, valves, or closures are secured in the closed position.
--------------	--

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

Section 15 – Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

Section 16 – Other Information

Preparation Date April 6, 2016

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no

guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB
- 6) ECHA
- 7) PAN

ClearTech Industries Inc. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7

Phone: 1(306) 664 – 2522

Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations – 1(306) 664-2522