

Chemicals Ltd. Safety Data Sheet

Section 01 - Identification

Product Identifier Deck Clean

Other Means of Identification None

Product Use and Restrictions on

Use

Initial Supplier Identifier

Acid based tile cleaner for tile surface pool decks.

Advance Chemicals Ltd. 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Prepared By ClearTech Industries Inc. Technical Writer

Phone: 1 (800) 387-7503

24-Hour Emergency Phone Phone: 1 (306) 664 – 2522

Section 02 - Hazard Identification

GHS-Classification

Skin Corrosion/IrritationCategory 1BSerious Eye Damage/IrritationCategory 1STOT-Single ExposureCategory 3

Physical Hazards

Corrosive to Metals Category 1

Danger

Hazards Statements

H314 – Causes severe skin burns and eye damage.

H335 – May cause respiratory irritation.

H290 – May be corrosive to metals.

Pictograms



Precautionary Statements

P234 – Keep only in original container.

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 – Store locked up.

P271 – Use only outdoors or in a well-ventilated area.

P260 – Do not breathe mist, vapours or spray.

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P280 – Wear protective gloves, protective clothing, eye protection, and face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

P363 – Wash contaminated clothing before reuse.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301 +P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 – Immediately call a POISON CENTER or doctor/physician.

P390 – Absorb spillage to prevent material damage.

P501 – Dispose of contents/container in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Phosphoric Acid	7664-38-2	8-23%	
Hydrochloric Acid	7647-01-0	1-15%	
Water and/or ingredients not		Balance	
classified as hazardous under			
the Hazardous Products			
Regulations			

Section 04 - First Aid Measures

Inhalation	If symptoms are experienced, remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen. Seek medical attention.
Skin Contact / Absorption	Remove contaminated clothing. Rinse skin with lukewarm, gently flowing water for at least 30 minutes. Seek immediate medical attention. Completely decontaminate clothing, shoes and leather goods before reuse or discard.
Eye Contact	Immediately flush eye(s) with lukewarm, gently flowing water for at least 30 minutes, while forcibly holding the eyelid(s) open to ensure complete irrigation of the eye tissue. If a contact lens is present, remove only if easy to do so. Seek immediate medical attention.
Ingestion	NEVER give anything by mouth if victim is rapidly losing consciousness, is unconscious or convulsing. Have victim rinse mouth thoroughly with water. DO NOT INDUCE VOMITING. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Have victim rinse mouth again. Seek medical attention.
Additional Information	Consult a doctor and/or the nearest Poison Control Centre for all exposures except minor instances of inhalation or skin contact.

Section 05 - Fire Fighting Measures

Use extinguishing media suitable for surrounding fire. Suitable Extinguishing Media

Unsuitable Extinguishing Media Not Available

Chemical

Specific Hazards Arising From the Phosphorus oxides, hydrogen gas and chlorine gas may form in a fire.

Precautions for Fire-Fighters

Special Protective Equipment and Wear a NIOSH-approved self-contained breathing apparatus and protective gear.

Further Information Not Available

Section 06 - Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency

Procedures

Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Flush with water to remove any residue.

Environmental Precautions

Prevent material from entering sewers or confined spaces.

Methods and Materials for Containment and Cleaning Up Clean up spill with non-reactive absorbent and place in suitable, labelled containers for proper disposal.

Section 07 - Handling and Storage

Precautions for Safe HandlingUse proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, out of direct sunlight. Keep quantities stored as

small as possible. Storage area should be clearly identified, clear of obstruction and

accessible only to trained personnel.

Incompatibilities Metals, strong bases, sulphides, cyanides, fluorides, carbides, silicates and strong oxidizing

agents.

Section 08 - Exposure Controls and Personal Protection

Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Phosphoric Acid	ACGIH	TLV-TWA	1mg/m³
	ACGIH	STEL	3mg/m ³
	OSHA	PEL-STEL	3mg/m ³
	OSHA	PEL-T-TWA	1mg/m³

Engineering Control(s)

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other Emergency shower and eyewash must be available and tested in accordance with

regulations and be in close proximity.

Protective Equipment

Eyes/Face Chemical safety goggles and/or a face shield should be worn while product is being

handled. Contact lenses should not be worn as they may contribute to severe eye injury.

Hand Protection Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

Skin and Body ProtectionBody suite, aprons, and/or coveralls of chemical resistant material should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

Impervious boots of chemically resistant material should be worn at all times. No special

footwear is required other than what is mandated at place of work.

Respiratory Protection NIOSH/OSHA recommendations for phosphoric acid concentrations in air:

Up to 25mg/m3: (APF=25) SAR operated in a continuous flow mode.

Up to 50mg/m3: (APF=50) Full facepiece respirator with an N100, R100, or P100 filter; or

full facepiece SCBA; or full facepiece SAR.

Up to 1000mg/m3: (APF=2000) Positive pressure, full facepiece SAR.

Recommendations apply only to NIOSH approved respirators.

NOTE: The IDLH concentration for phosphoric acid is 1000 mg/m3.

Thermal Hazards Not Available

Section 09 - Physical and Chemical Properties

Appearance

Physical State Liquid

Colour Purple

Odour Slight acid-like odour

Odour Threshold Not Available

Property

pH <1

Melting Point/Freezing Point Not Available

Initial Boiling Point and Boiling

Range

Not Available

Flash Point Not Applicable

Evaporation Rate Not Available

Flammability Non-flammable

Upper Flammable Limit Not Applicable

Lower Flammable Limit Not Applicable

Vapour Pressure (mm Hg, 20°C) Not Available

Vapour Density (Air=1) Not Available

Relative Density Not Available

Solubility(ies) Soluble in water.

Partition Coefficient: n-

octanol/water

Not Available

Auto-ignition Temperature Not Applicable

Decomposition Temperature Not Available

Viscosity Not Available

Explosive Properties None

Specific Gravity (Water=1) 1.05

% Volatiles by Volume Not Available

Formula Mixture

Molecular Weight Not Available

Section 10 - Stability and Reactivity

Reactivity Not Available

Stability Normally stable.

Possibility of Hazardous

Reactions

None reported. Peroxide may accumulate at hazardous levels during distillation, evaporation, or any other method that will cause concentrations of the peroxide.

Conditions to Avoid Heat.

Incompatible Materials Metals, strong bases, sulphides, cyanides, fluorides, carbides, silicates and strong oxidizing

agents.

Hazardous Decomposition

Products

During a fire, or when heated to decomposition, irritating/toxic phosphorous oxides, such as phosphorus pentoxide may be generated. Alkyl Phenol Ethoxylate may form peroxides on

prolonged exposure to air.

Section 11 - Toxicological Information

Acute Toxicity Estimate

ComponentOral LD50Dermal LD50Inhalation LC50Deck Clean5,661 mg/kg7,295 mg/kg $1,308 \text{ mg/m}^3$

This product has been classified in accordance with the Hazardous Products Regulations using ATE formula documented in the GHS standard.

Chronic Toxicity - Carcinogenicity

Component IARC

Deck Clean None of the components present in this material at

concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Skin Corrosion/IrritationCorrosive. Capable of producing severe burns, blisters, ulcers and permanent scarring.

Ingestion Can cause burns to the mouth, lips, esophagus and stomach; abdominal pain; nausea;

vomiting; diarrhea and death.

Inhalation Mists can probably cause irritation of the nose, throat and respiratory tract.

Serious Eye Damage/Irritation Corrosive. Capable of producing severe eye burns and permanent injury, including

blindness.

Respiratory or Skin Sensitization Not Available

Germ Cell Mutagenicity Not Available

Reproductive Toxicity Not Available

STOT-Single Exposure May cause respiratory irritation.

STOT-Repeated Exposure Not Available

Aspiration Hazard Not Available Synergistic Materials Not Available

Section 12 – Ecological Information

Ecc	tox	ici	ty

Component **Toxicity to Algae Toxicity to Fish** Toxicity to Daphnia and Other Aquatic Invertebrates EC₅₀(Daphnia magna, 48hr):

Phosphoric Acid EC₅₀(Green algae, 72hr):

32.0mg/L

75.1mg/L >376mg/L LC₅₀(Oryzias latipes, 96hr):

EC₅₀(Pseudokirchneriella subcapitata, 72hr): 32.0mg/L

75.1ma/L

LC₅₀(Oryzias latipes, 96hr):

EC₅₀(Daphnia magna, 48hr): >376ma/L

Not Available Biodegradability Bioaccumulation Not Available Not Available Mobility

Not Available Other Adverse Effects

Section 13 – Disposal Considerations

Waste From Residues/Unused **Products**

Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging

Hydrochloric Acid

Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Section 14 – Transport Information

UN Number UN3264

UN Proper Shipping Name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid)

Transport Hazard Class(es) Ш Packaging Group

Environmental Hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Not Available Special Precautions Not Available Transport in Bulk

Additional Information Packing Group Limited Quantity Index

> 0 Ш 1 L Ш 5 L

TDG

Secure containers (full and/or empty) with suitable hold down devises during shipment and Other

ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

Section 15 – Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

Section 16 - Other Information

Preparation Date

January 15, 2016

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution^(R) initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB
- 6) ECHA
- 7) PAN

Advance Chemicals Ltd. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7
Phone: 1(306) 664 – 2522
Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations - 1(306) 664-2522