

Safety Data Sheet

Section 01 - Identification

Product Identifier Hydrazine 35%

Other Means of Identification Hydrazine hydrate

Product Use and Restrictions on

Use

Corrosion inhibitor

Initial Supplier Identifier ClearTech Industries Inc.

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Prepared By ClearTech Industries Inc. Technical Writer

Phone: 1 (800) 387-7503

24-Hour Emergency Phone Phone: 1 (306) 664 – 2522

Section 02 - Hazard Identification

GHS-Classification

Acute Toxicity-OralCategory 3Acute Toxicity-DermalCategory 3Acute Toxicity-InhalationCategory 3Skin Corrosion/IrritationCategory 1BSerious Eye Damage/IrritationCategory 1Skin SensitizationCategory 1BCarcinogenicityCategory 1B

Physical Hazards

No known physical hazards.

Danger

Hazard Statements

H301 - Toxic if swallowed.

H311 – Toxic in contact with skin.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H331 – Toxic if inhaled.

H350 - May cause cancer.

Pictograms



Precautionary Statements

P201 – Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P308 + P313 – IF exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

P271 – Use only outdoors or in a well-ventilated area.

P260 – Do not breathe mist, vapours or spray.

P304 + P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P280 – Wear protective gloves, protective clothing, eye protection, and face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

P333 + P313 – If skin irritation or rash occurs: Get medical advice/attention.

P362 – Take off contaminated clothing and wash before reuse.

P272 – Contaminated work clothing should not be allowed out of the workplace.

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P270 – Do not eat, drink or smoke when using this product.

P301 +P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P321 – Specific treatment: Use Pyridoxine to treat neurological symptoms of hydrazine exposure.

P310 – Immediately call a POISON CENTER or doctor/physician.

P501 – Dispose of contents/container in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Section 03 - Composition / Information on Ingredients

Chemical Name	CAS Number	Weight %	Unique Identifiers
Hydrazine	302-01-2	35%	
Water	7732-18-5	65%	

Section 04 - First Aid Measures

Inhalation Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If

breathing is difficult, give oxygen. Seek immediate medical attention.

Skin Contact / Absorption Remove contaminated clothing. Wash affected area with soap and water. Seek medical

attention if irritation occurs or persists.

Eye Contact Contact lenses should never be worn when working with this product. Flush immediately

with water for at least 30 minutes. Forcibly hold eyelids apart to ensure complete irrigation

of eye tissue. Seek immediate medical attention.

Ingestion Dilute with small quantities of water (200-250 mL). Do not induce vomiting unless directed

by medical personnel. Never give anything by mouth to an unconscious person. Seek

immediate medical attention.

Additional Information Pyridoxine (Vitamin B6) has been used successfully to treat the neurological symptoms of

hydrazine exposure.

Section 05 - Fire Fighting Measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Carbon dioxide, water spray, dry powder, and alcohol-resistant

foam.

Unsuitable Extinguishing Media

Not Available

Specific Hazards During Fire

Fighting

Burning produces noxious and toxic fumes.

Special Protective Equipment for

Fire-Fighters

Wear NIOSH-approved self-contained breathing apparatus and protective clothing.

Further Information

Not Available

Section 06 - Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency

Procedures

Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so. Prevent material from entering sewers. Flush with water to remove any residue.

Environmental Precautions

Do not allow product to enter drains, water courses or the soil.

Methods and Materials for Containment and Cleaning Up

Spills should be contained by diking and digging a containment pit sufficiently large enough to hold at least 10 times the spill. Dilute to approximately 10 times the volume with water and add 5-8% calcium hypochlorite solution slowly to completely oxidize the hydrazine. Dry calcium hypochlorite or other oxidizing agents should never be allowed to mix with undiluted hydrazine solutions. The resulting reaction is very vigorous, releasing large amounts of heat and hydrogen gas. Neutralized material can be absorbed using clay, sand or commercial absorbent and place material into containers for future disposal per local regulations.

Section 07 - Handling and Storage

Precautions for Safe Handling

Avoid formation of aerosol. Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. This product may become electrostatically charged during filling and transferring. Make sure equipment is properly bonded and grounded.

Conditions for Safe Storage

Keep containers tightly closed in a cool, well-ventilated place. Keep away form heat, sparks, open flames, hot surfaces. Protect from sunlight. Store in original container.

Incompatibilities

Oxidizing agents, organic materials, combustible material, molybdenum, manganese, iron, lead, copper, nitric acid, heavy metals, and transition metals.

Section 08 - Exposure Controls and Personal Protection

Exposure Limit(s)

Component	Regulation	Type of Listing	Value
Hydrazine	ACGIH	TLV-TWA	0.01ppm
	OSHA	PEL-T-TWA	1ppm
	OSHA	PEL-TWA	0.1ppm

Engineering Control(s)

Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided. Supply sufficient replacement air to make up for air removed by exhaust systems.

Other

Do not store or transfer hydrazine solutions in open containers. Because hydrazine can be absorbed into the body by all common routes of exposure, protective equipment must be used. Personal protective equipment is not an adequate substitute for safety work practices, proper equipment design and good maintenance practices. Eye wash facility should be close in proximity. Emergency shower should be in close proximity.

Protective Equipment

Eyes/Face Chemical goggles, full-face shield, or a full-face respirator is to be worn at all times when

product is handled. Contact lenses should not be worn; they may contribute to severe eye

injury.

Hand Protection Impervious gloves of chemically resistant material (rubber or PVC) should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

Skin and Body ProtectionBody suite, aprons, and/or coveralls of chemical resistant material should be worn at all

times. Wash contaminated clothing and dry thoroughly before reuse.

Impervious boots of chemically resistant material should be worn at all times. No special

footwear is required other than what is mandated at place of work.

Respiratory Protection A positive pressure, supplied-air respirator or a self-contained breathing apparatus is

recommended if airborne concentrations exceed the appropriate standards.

Thermal Hazards Not Available

Section 09 - Physical and Chemical Properties

Appearance

Physical State Liquid

Colour Colourless

Odour Ammoniacal

Odour Threshold 3.7 ppm

Property

pH 10.1-10.7

Melting Point/Freezing Point 2°C / -65°C

Initial Boiling Point and Boiling

Range

109°C

Flash Point Does not flash.

Evaporation Rate Not Available

Flammability Non-Flammable

Upper Flammable Limit Not Applicable

Lower Flammable Limit Not Applicable

Vapour Pressure (mm Hg, 20°C) 1.33 kPa

Vapour Density (Air=1) 1.1

Relative Density Not Available

Solubility(ies) Completely soluble.

Insoluble in chloroform and diethyl ether.

Partition Coefficient: n-

octanol/water

Log Pow = -1.1

Auto-ignition Temperature Not Applicable

Decomposition Temperature Not Available

Viscosity 1.5 mPa.s

Explosive Properties Not Available

Specific Gravity (Water=1) 1.027

% Volatiles by Volume 100%

Formula N_2H_4

Molecular Weight 32.05

Section 10 - Stability and Reactivity

Reactivity Attacks glass, rubber and cork.

StabilityCan ignite spontaneously on contact with oxidizers or porous materials such as earth,

wood and cloth, and metal oxides. Thermally unstable.

Possibility of Hazardous

Reactions

Hazardous polymerization will not occur.

Conditions to Avoid Sparks, open flames and other sources of ignition. Heat. Do not allow water to evaporate.

Incompatible Materials Oxidizing agents, organic materials, combustible material, molybdenum, manganese,

iron, lead, copper, nitric acid, heavy metals, and transition metals.

Hazardous Decomposition

Products

Ammonia gas may be liberated at high temperatures, hydrogen.

Section 11 - Toxicological Information

Acute Toxicity

Component Oral LD₅₀ Dermal LD₅₀ LC₅₀

Hydrazina (35%) 171 mg/kg (rat) 260 mg/kg (rabbit) 720 ppm (famala rat. 4br

Hydrazine (35%) 171 mg/kg (rat) 260 mg/kg (rabbit) 720 ppm (female rat, 4hr)

Chronic Toxicity - Carcinogenicity

Component IARC

Hydrazine Group 2B: Possibly carcinogenic to humans.

Skin Corrosion/IrritationCorrosive. Capable of producing severe burns, blisters, ulcers and permanent scarring.

Serious Eye Damage/Irritation Corrosive. Capable of producing serious eye burns and permanent damage, including

blindness.

Ingestion Highly toxic. Causes irritation and burning of the mucous membranes of the

gastrointestinal tract.

InhalationToxic by inhalation and can be rapidly absorbed through the lungs. May cause moderate

to severe irritation to the nose, throat, mucous membranes, upper respiratory tract and lungs. No permanent damage expected. Damage may also result to liver, kidneys and blood. High exposure may give rise to hemolysis of the blood cells. Vomiting, diarrhea,

nausea, dizziness, cyanosis and convulsions may also occur.

Respiratory or Skin Sensitization Skin contact may cause an allergic skin reaction. This material tested positive for skin

sensitization in humans. Repeated or prolonged skin contact may cause some individuals

to develop skin rash and other skin complications due to allergic skin sensitization.

Germ Cell Mutagenicity Hydrazine has demonstrated mutagenic potential in several test systems such as

bacteria, phage, higher plants, drosophila, and the host-mediated assay. It was negative in the dominant lethal assay in mice. Dermal contact with hydrazine at a dose causing

skin damage and systemic effects has produced embryo lethality in rats.

Reproductive Toxicity Animal testing did not show any effects on fertility. Fetotoxicity has been observed in

animal studies.

STOT-Single Exposure Causes severe irritation of upper respiratory tract with coughing, burns, breathing

difficulty, and possible coma.

STOT-Repeated Exposure Damage to liver, lungs, kidneys, blood and blood forming organs, dermatitis, allergic

sensitization to skin. May cause damage to the central nervous system.

Aspiration Hazard Irritation may lead to chemical pneumonitis and pulmonary edema.

Synergistic Materials Not Available

Section 12 - Ecological Information

Ecotoxicity

Component Toxicity to Algae Toxicity to Fish Toxicity to Daphnia and Other Aquatic Invertebrates

Hydrazine EC_{50} (Green algae, 72hr): LC_{50} (Lepomis macrochirus, 96 LC_{50} (Daphnia pulex, 48hr):

6.0x10⁻⁶mg/L hrs): 1.08mg/L 0.19mg/L

Biodegradability Hydrazine appears to degrade more rapidly in soil than in water.

Bioaccumulation Not Available

Mobility Expected to have high mobility.

Other Adverse Effects Very toxic to aquatic organisms and may cause long-term adverse effects in the aquatic

environment.

Section 13 - Disposal Considerations

Waste From Residues/Unused

Products

Dispose in accordance with all federal, provincial, and/or local regulations including the Canadian Environmental Protection Act.

Contaminated Packaging

Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Section 14 - Transport Information

UN Number UN 3293

UN Proper Shipping Name Hydrazine, aqueous solution

Transport Hazard Class(es) 6.1

Packaging Group

Environmental HazardsNot listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special Precautions Not Available

Transport in Bulk Not Available

Additional Information Packing Group Limited Quantity Index

III 5 L

TDG

Other

Secure containers (full and/or empty) with suitable hold down devises during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

Section 15 - Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

Section 16 - Other Information

Preparation Date

August 7, 2015

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution[®] initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB
- 6) ECHA
- 7) PAN

ClearTech Industries Inc. - Locations

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7
Phone: 1(306) 664 – 2522
Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations - 1(306) 664-2522