

Section 01 Identification

Product Identifier Ammonium Bisulphite 62% Solution, Catalyzed

Other Means of Identification Ammonium hydrogensulphite; Sulfurous acid, monoammonium salt;

AMBISULPHSOLC6227

on Use

Product Use and Restrictions Antioxidant, bleaching and disinfectant agent in textile, laundering, paper, and fermentation

industries. Production of sulphur dioxide. Dechlorination.

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

Corrosive to metals Category 1

Health Hazards

Category 1C Skin corrosion / irritation Category 1 Serious eye damage / eye

irritation

Carcinogenicity Category 1B

Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer by inhalation.

Pictograms



Precautionary Statements

Prevention

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: August 07, 2024

Page 1 of 8

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P234 Keep only in original packaging.
- P260 Do not breathe vapours, fumes, or mists.
- P264 Wash affected body parts thoroughly after handling.
- P280 Wear protective gloves, protective clothingeye protection, face protection.

Response

- P301 P330 P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or
 - P363 shower. Wash contaminated clothing before reuse.
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
 - P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
 - P308 P313 IF exposed or concerned: Get medical advice or attention.
 - P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Contact with acids liberates toxic gas. This product contains Cobalt Sulphate below classified levels (0.1%). Cobalt Sulphate is a respiratory and skin sensitizer, carcinogen, and may cause damage to fertility.

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Sulfurous acid, monoammonium salt	Ammonium bisulphite	10192-30-0	58-66%
Cobalt Sulphate	Not available	10124-43-3	0.01-0.1%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device. If exposed or concerned: Get medical advice /

attention.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, lie on your side, in the recovery position. If exposed or concerned: Get medical advice / attention.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 2 of 8

Skin contact Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard. If exposed or concerned: Get medical advice / attention.

Eye contact Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the evelids open. Remove contact lenses, if present and easy to do. Continue rinsing for Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation Causes severe burns to the mouth and throat (mist). Contact with acids, heat or sunlight realeases

sulphur dioxide, which causes serious respiratory irritation and is toxic if inhaled. May cause cancer by

inhaltion.

Ingestion Causes burns to the mouth and throat. This product may provoke a response in those who are

sensitive to sulphites.

Skin contact Causes severe skin burns. This product may provoke a response in those who are sensitive to

sulphites.

Eve contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

Specific hazards arising from

the chemical

In the event of a fire oxides of sulphur and nitrogen may be released. Thermal decomposition occurs at 150 °C.

for fire-fighters

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not breathe vapours, fumes, or mists. Do not use material handling equipment with exposed metal surfaces.

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. Use

vented containers to avoid pressure buildup.

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of vapours, fumes, or mists into the workplace air.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: August 07, 2024

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible. Do not transfer to metal containers.

Incompatibilities Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Metals, such as aluminum, steel, and brass. Exposure to air accelerates decomposition.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Component	Regulation	Type of listing	Value
Cobalt and inorganic compounds, as Co, Total	ACGIH	TWA	0.02 mg/m ³
Sulphur dioxide	ACGIH	TLV	5 ppm
	ACGIH	STEL	2 ppm

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other An emergency shower and eyewash station should be available, tested, and be in close

proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection Where handling this product it is recommended that skin contact is avoided. Disposable

latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for

breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: August 07, 2024

Physical state Liquid

Colour Transparent, pink-red Odour Pungent; sulphurous

Odour threshold Not available

Property

pН 3.8-5.8

Melting point / freezing point Not available

Initial boiling point and

boiling range

Not available

Flash point Not available Not available **Evaporation rate Flammability** Not applicable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not applicable Soluble in water Solubility Partition coefficient: n-Not available

octanol/water

Not applicable

Auto-ignition temperature Not available 150 °C **Decomposition temperature**

Not available Viscosity Specific gravity 1.32-1.36

Section 10 Stability and Reactivity

Reactivity May be corrosive to metals. Reacts with acids to form toxic and corrosive sulphur dioxide.

Stability This product is stable if stored according to the recommendations in Section 07. Exposure

to sunlight or high temperatures may cause the degradation of this product over time. Hazardous polymerization is not known to occur.

Possibility of hazardous reactions

Particle characteristics

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Metals, such as aluminum, steel, and brass. Exposure to air accelerates decomposition.

Hazardous decomposition products

Thermal decomposition may produce oxides of sulphur and nitrogen. Thermal

decomposition occurs at 150 °C.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: August 07, 2024

Component	Route	Species	Value	Exposure time
Acute toxicity estimate	Oral	Rat	3206 mg/kg	
	Dermal	Rat	>5000 mg/kg	

Toxic Health Effect Summary

Chemical characteristics

This product is a moderate reducing agent.

cnaracteristics

Skin

Causes severe skin burns. This product may provoke a response in those who are sensitive to

sulphites.

Ingestion Causes burns to the mouth and throat. This product may provoke a response in those who are

sensitive to sulphites.

Inhalation Causes severe burns to the mouth and throat (mist). Contact with acids, heat or sunlight realeases

sulphur dioxide, which causes serious respiratory irritation and is toxic if inhaled. May cause cancer by inhaltion. This product can be classified toxic by inhalation, if the LC50 values are considered in isolation. However, there is no available evidence that This product causes systematic toxicity; all of its affects are localized and are therefore considered corrosive. This substance is already classified as

corrosive, therefore also classifying it as toxic by inhalation would be inappropriate.

Eye contact Causes serious eye damage.

Sensitization This product may provoke a response in those who are sensitive to sulphites. Sodium metabisulphite

was not found to be sensitizing in the standard skin sensitization test.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

Carcinogenicity NTP has classified cobalt compounds as: Reasonably anticipated to be a human carcinogen.

ACGIH has classified cobalt compounds as category A3 - Confirmed animal carcinogen with unknown

relevance to humans.

IARC has classified cobalt compounds as group 2B, possibly carcinogenic to humans.

Reproductive toxicity

Studies on rats exposed to cobalt componds are associated with testicular atrophy

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard

Synergistic materials

Not available Not available

Section 12 Ecological Information

Ecotoxicity

Component	Туре	Species	Value	Exposure Time
Acute toxicity estimate	EC50	Daphnia	245 mg/L	48 hours
	LC50	Fish	89 mg/L	96 hours
	EC50	Algae	137 mg/L	72 hours

BiodegradabilityThe domestic substance list categorizes sodium metabisulphite and cobalt sulphate as

persistent.

Bioaccumulation The domestic substance list categorizes sodium metabisulphite and cobalt sulphate as

non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects The domestic substance list categorizes cobalt sulphate as inherently toxic to aquatic

organisms. Chemical oxygen demand (COD): 59 mg/g

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 6 of 8

Section 13 Disposal Considerations

Waste From Residues / **Unused Products**

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN2693

UN proper shipping name and description

BISULPHITES, AQUEOUS SOLUTION, N.O.S. (Sodium Bisulphite)

Transport hazard class(es) 8 Ш Packing group 5 L **Excepted quantities**

Environmental hazards

Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions

Transport in bulk

ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information

Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

Special Provisions:

16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods

Safety Marks).

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Cobalt and its compounds are listed in the National Pollutant Release Inventory (NPRI). Reporting threshold: 50 kg manufactured, processed or otherwise used. This product is below reportable threshold (0.1%)

Cobalt and soluble cobalt compounds are in the List of Toxic Substances, Schedule 1, under the Canadian Environmental Protection Act.

Section 16 Other Information

Date of latest revision: August 07, 2024

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: August 07, 2024

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) *NIOSH Pocket Guide to Chemical Hazards;* U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/registered-dossier/14587
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition

7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 8 of 8