

### **Section 01 Identification**

CTI OdorClear CNS **Product Identifier** 

Other Means of Identification Not available

on Use

**Product Use and Restrictions** Wastewater odor neutralizer.

**Initial Supplier Identifier** ClearTech Industries Inc

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

**Prepared By** ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

### **Section 02 Hazard Identification**

#### **Physical Hazards**

This product does not qualify for any physical hazard class under WHMIS 2015

#### **Health Hazards**

Acute toxicity - oral

Serious eye damage / eye

irritation

Category 4 Category 1

### Signal Word

Danger

#### **Hazard Statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

#### **Pictograms**



#### **Precautionary Statements**

#### **Prevention**

P264 Wash affected body parts thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2022

Page 1 of 7

P280 Wear eye protection, face protection

#### Response

P301 P312 P330 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

#### **Disposal**

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations

including the Canadian Environmental Protection Act.

#### **Hazards Not Otherwise Classified**

Not available

#### Supplemental Information

Not available

## **Section 03 Composition / Information on Ingredients**

#### **Hazardous Ingredients:**

Chemical name Common name(s) CAS number Concentration (w/w%)

Nitric acid, calcium salt Calcium nitrate 10124-37-5 30-60%\*

#### Section 04 First-Aid Measures

#### Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned.

**Ingestion** Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

**Skin** Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

**contact** irritation occurs or if you feel unwell: Get medical advice / attention.

**Eye** Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing contact water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do.

Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the

face. Immediately call a POISON CENTER or doctor.

#### Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

**Ingestion** Harmful if swallowed.

Skin contact Not available

**Eye contact** Causes serious eye damage.

**Further information** For further information see Section 11 Toxicological Information.

# **Section 05 Fire Fighting Measures**

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

**Unsuitable extinguishing** Water jets are not recommended in fires involving chemicals.

media

**Specific hazards arising from** In the event of a fire oxides of nitrogen may be released.

the chemical

Revision Date: March 01, 2022

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Page 2 of 7

<sup>\*</sup>Exact concentration withheld as a trade secret.

for fire-fighters

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

### Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment / Emergency Procedures**  Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area.

**Environmental Precautions** Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

**Methods and Materials for Containment and Cleaning** Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product.

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

### Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Never return contaminated material to its original container.

**Conditions for Safe Storage** Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

> materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

Incompatibilities Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

# Section 08 Exposure Controls and Personal Protection

#### **Exposure limits**

There are no known exposure limits for this product.

#### Engineering controls

**Ventilation Requirements** Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

> control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

#### Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2022 Page 3 of 7

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

> or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection

Where handling this product it is recommended that skin contact is avoided.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

### **Section 09 Physical and Chemical Properties**

#### **Appearance**

Physical state Liquid

Colour Clear, colourless

Odour Odourless **Odour threshold** Not available

**Property** 

pН Not available

<-10 °C Melting point / freezing point

Initial boiling point and

boiling range

>110 °C

Flash point Not available **Evaporation rate** Not available **Flammability** Not applicable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not applicable Solubility Soluble in water

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature Not available

132 °C **Decomposition temperature** 

Viscosity Not available Specific gravity 1.44-1.48 @ 20 °C Particle characteristics Not applicable **Formula** Ca(NO<sub>3</sub>)<sub>2</sub> Molecular weight 236.15 g/mol

# Section 10 Stability and Reactivity

Reactivity This product is an oxidizer and will react with reducing agents and organic compounds such

as paper or wood

Stability This product is stable if stored according to the recommendations in Section 07.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2022

Page 4 of 7

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid

Avoid contact with incompatible materials.

Incompatible materials

Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

Hazardous decomposition

products

Thermal decomposition may produce oxides of nitrogen.

### **Section 11 Toxicological Information**

#### Acute Toxicity (LD50 / LC50 values)

ComponentRouteSpeciesValueExposure timeCalcium nitrateOralRat300-2,000 mg/kg bw

#### **Toxic Health Effect Summary**

Chemical

No known effects

characteristics

Skin Not available

**Ingestion** Harmful if swallowed.

InhalationMay cause respiratory irritation.Eye contactCauses serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects.
Reproductive This product and its components at their listed concentration have no known reproductive effects.

Reproductive toxicity

LOXICITY

This product and its components at their listed concentration have no known effects on specific

Specific organ toxicity

organs.

Aspiration hazard

Not available Not available

Synergistic materials

ivot avallable

# **Section 12 Ecological Information**

#### **Ecotoxicity**

| Component       | Туре | Species               | Value     | Exposure Time |
|-----------------|------|-----------------------|-----------|---------------|
| calcium nitrate | LC50 | Fish                  | >100 mg/L | 96 hours      |
|                 | EC50 | Aquatic invertabrates | >100 mg/L | 48 hours      |
|                 | EC50 | Algea                 | >100 mg/L | 72 hours      |

**Biodegradability** The domestic substance list categorizes calcium nitrate as persistent.

**Bioaccumulation**The domestic substance list categorizes calcium nitrate as non-bioaccumulative.

Customer Service: 800.387.7503 <a href="https://www.cleartech.ca">www.cleartech.ca</a> <a href="https://www.cleartech.ca">Emergency: 306.664.2522</a> <a href="https://www.cleartech.ca">Page 5 of 7</a>

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Not available

### **Section 13 Disposal Considerations**

Waste From Residues /

**Unused Products** 

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

**Contaminated Packaging** Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

### **Section 14 Transport Information**

**UN** number (UN1454), does not apply see special provision 31 of transport of dangerous goods

regulations.

UN proper shipping name

and description

Not available

Transport hazard class(es) Not available Not available Packing group **Excepted quantities** Not available

**Environmental hazards** Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions 31 These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation,

General Provisions and Special Cases) and Part 2 (Classification), do not apply to dangerous goods transported under this shipping name if the dangerous goods contain 10%

or less ammonium nitrate and at least 12% water.

ERAP index: not available Transport in bulk

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

**Additional information** Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

## **Section 15 Regulatory Information.**

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

#### Section 16 Other Information

Date of latest revision: March 01, 2022

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 01, 2022

Page 6 of 7

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

#### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at

If you have any questions or concerns please call our customer service center.

#### References:

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN

Customer Service: 800.387.7503 Revision Date: March 01, 2022 Page 7 of 7