

## **Section 01 Identification**

**Product Identifier** Calcium Carbonate (All grades)

> Calcite Media, Imerys OZ White WT Calcite Media, Imerys XO White WT

Supercal, High Calcium Limestone, Granular

Other Means of Identification Limestone

Product Use and Restrictions Filter media, pH neutralization

on Use

**Initial Supplier Identifier** ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

**Prepared By** ClearTech Industries Inc. technical writer

306.664.2522 24-Hour Emergency Phone

## **Section 02 Hazard Identification**

### **Physical Hazards**

This product does not qualify for any physical hazard class under WHMIS 2015

#### **Health Hazards**

Carcinogenicity Category 1 Specific target organ toxicity - Category 1

repeated exposure

### Signal Word

#### **Danger**

### **Hazard Statements**

H350 May cause cancer

H372 Causes damage to lungs through prolonged or repeated inhalation.

### **Pictograms**



### **Precautionary Statements**

#### Prevention

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: July 21, 2022

Page 1 of 7

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash affected body parts thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear respiratory protection, and protective clothing

#### Response

P308 P313 IF exposed or concerned: Get medical advice or attention.

P314 Get medical advice or attention if you feel unwell.

#### **Storage**

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

#### **Hazards Not Otherwise Classified**

Not available

### Supplemental Information

Not available

contact

## Section 03 Composition / Information on Ingredients

## **Hazardous Ingredients:**

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Carbonic acid calcium salt (1:1)	Calcium carbonate	471-34-1	>90%
Limestone	Not available	1317-65-3	Alternate calcium carbonate
Quartz (SiO2)	Crystaline silica	14808-60-7	<1%

### **Section 04 First-Aid Measures**

### Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned. If exposed or concerned: Get medical advice

/ attention.

Ingestion Get medical advice / attention if you feel unwell or are concerned. If exposed or concerned: Get medical advice

/ attention.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

irritation occurs or if you feel unwell: Get medical advice / attention. If exposed or concerned: Get medical

advice / attention.

**Eye**Gently brush product off face. Do not rub eyes. Let the eyes water naturally for a few minutes. Look right and contact
left, then up and down. If particle / dust does not come out, cautiously rinse eye with lukewarm gently flowing

water for 5 minutes or until particle / dust is removed, while holding the eyelids open. If eye irritation persists:

Get medical advice / attention. Do not attempt to manually remove anything from the eyes.

#### Most important symptoms and effects, both acute and delayed

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: July 21, 2022

Inhalation May cause respiratory irritation. May cause silicosis and lung cancer through prolonged or repeated

exposure.

May cause discomfort or nausea. Ingestion

Skin contact Not available

Eye contact May cause eye irritation and redness.

Further information For further information see Section 11 Toxicological Information.

## Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

the chemical

**Specific hazards arising from** In the event of a fire oxides of carbon may be released.

Special protective equipment for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

## Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / **Emergency Procedures**  Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area. Do not breathe dust.

**Environmental Precautions** 

Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

**Methods and Materials for** Containment and Cleaning

Up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

## Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

**Conditions for Safe Storage** Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

Strong acids, such as sulphuric, nitric, hydrochloric. Incompatibilities

## Section 08 Exposure Controls and Personal Protection

#### **Exposure limits**

Component Type of listing Regulation Value

Silica, Crystalline - alpha quartz and Cristobalite,

Respirable

**ACGIH** TWA 0.025 mg/m<sup>3</sup>

### Engineering controls

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: July 21, 2022

#### Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

#### Other

No specific recommendations beyond the required hygiene facilities at the place of work.

#### Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

#### Eye and face protection

Where there is potential eye or face exposure, safety glasses are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

### Hand and body protection

Where handling this product it is recommended that skin contact is avoided. Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

### Respiratory protection

NIOSH respirator recommendations for: Silica, crystalline (as respirable dust)

In case of insufficient ventilation wear suitable respiratory equipment.

## Up to: 0.5 mg/m<sup>3</sup>

(APF = 10) Any particulate respirator equipped with an N95, R95, or P95 filter (including N95, R95, and P95 filtering facepieces) except quarter-mask respirators. The following filters may also be used: N99, R99, P99, N100, R100, P100.

#### Up to: 1.25 mg/m<sup>3</sup>

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter

#### Up to: 2.5 mg/m<sup>3</sup>

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted N100, R100, or P100 filter.

(APF = 50) Any powered, air-purifying respirator with a tight-fitting facepiece and a high-efficiency particulate filter.

#### Up to: 25 mg/m<sup>3</sup>

(APF = 1000) Any supplied-air respirator operated in a pressure-demand or other positivepressure mode

#### Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

#### Escape:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

Customer Service: 800.387.7503 <a href="https://www.cleartech.ca">www.cleartech.ca</a> <a href="https://www.cleartech.ca">Emergency: 306.664.2522</a> <a href="https://www.cleartech.ca">Page 4 of 7</a>

Thermal hazards Not available

## **Section 09 Physical and Chemical Properties**

**Appearance** 

Physical state Granules and powder

Colour White to grey Odour Odourless **Odour threshold** Not applicable

Property

8-9.2 (satuated solution @ 25 °C) pН

Melting point / freezing point Not available Initial boiling point and Not available

boiling range

Flash point Not applicable Not available **Evaporation rate** 

Flammability

Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density 1.44-1.68 g/cm<sup>3</sup>

Solubility Slightly soluble in water (<10 mg/L @ 20 °C)

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature Not available **Decomposition temperature** Not available **Viscosity** Not applicable Specific gravity Not applicable

Particle characteristics Particle size: 400-1200 micron (90%)

Particle shape: Not available

**Formula** CaCO<sub>3</sub>

Molecular weight 100.087 g/mol

## Section 10 Stability and Reactivity

Reactivity Reacts with strong acids to produce carbon dioxide

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials.

Incompatible materials Strong acids, such as sulphuric, nitric, hydrochloric.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: July 21, 2022

Page 5 of 7

## Section 11 Toxicological Information

### Acute Toxicity (LD50 / LC50 values)

There is no available toxicity data for this product.

#### Toxic Health Effect Summary

Chemical

No known effects

characteristics

Skin Not available

Ingestion May cause discomfort or nausea.

Inhalation May cause respiratory irritation. May cause silicosis and lung cancer through prolonged or repeated

exposure.

Eye contact May cause eye irritation and redness.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

IARC has classified silica dust as group 1, carcinogenic to humans. Carcinogenicity

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

toxicity

Causes damage to lungs through prolonged or repeated inhalation.

**Aspiration hazard** Not available **Synergistic** 

materials

Not available

## Section 12 Ecological Information

### **Ecotoxicity**

there is no available toxicity data for this product.

Biodegradability The domestic substance list categorizes all of the components of this product as

persistent.

The domestic substance list categorizes all of the components of this product as non-Bioaccumulation

bioaccumulative.

Mobility Slightly soluble in water, not expected to be mobile within the environment.

Not available Other adverse effects

## Section 13 Disposal Considerations

Waste From Residues / **Unused Products** 

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

**Contaminated Packaging** Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

## Section 14 Transport Information

UN number UN proper shipping name

Revision Date: July 21, 2022

Not available

and description

Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Transport hazard class(es) Not available Packing group Not available **Excepted quantities** Not available

**Environmental hazards** Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special provisions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

## Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

### Section 16 Other Information

Date of latest revision: July 21, 2022

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at

If you have any questions or concerns please call our customer service center.

#### References:

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: July 21, 2022