

CALCIUM HYPOCHLORITE, HTH GRANULES

SECTION 1. IDENTIFICATION

Calcium Hypochlorite, HTH Granules Product Identifier

> Calcium Hypochlorite, HTH Granules, NSF® - 60 Calcium Hypochlorite, Granules Shock It, NSF® - 60

hth GRANULES SUPER 70

Code: CHYP** Other Means of Identification

DSL: Hypochlorous acid, calcium salt

CAS: 7778-54-3

Chlorinated lime, bleaching powder, pittchlor

Use

Product Use and Restrictions on Water treatment, source of available chlorine, algicide. This product is certified to NSF /

ANSI / CAN standard 60 for use in drinking water, see section 15 and the NSF website for

further information.

ClearTech Industries Inc. Initial Supplier Identifier

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

24-Hour Emergency Phone 306.664.2522

SECTION 2. HAZARD IDENTIFICATION

Oxidizing solid Category 2 Acute toxicity - oral Category 4 Skin corrosion / irritation Category 1B Serious eye damage / eye Category 1

irritation

Pictograms



Signal Word: Danger **Hazard Statements**

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.



CALCIUM HYPOCHLORITE, HTH GRANULES

Precautionary Statements

Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P220 Keep away from clothing and other combustible materials.
- P260 Do not breathe dust.
- P264 Wash affected body parts thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

- P301 P312 P330 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if
 - P331 you feel unwell.
- P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or
 - P363 shower. Wash contaminated clothing before reuse.
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
 - P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Contact with acids liberates toxic gas.

Supplemental Information

Not available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Hypochlorous acid, calcium salt Calcium Hypochlorite 7778-54-3 60-100%



CALCIUM HYPOCHLORITE, HTH GRANULES

SECTION 4. FIRST-AID MEASURES

Description of necessary first-aid measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED).

Avoid mouth to mouth contact by using a barrier device.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs

naturally, lie on your side, in the recovery position. Call a POISON CENTER or doctor if you feel unwell. Rinse

mouth.

Skin Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated contact clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes.

Store contaminated clothing under water and wash before re-use or discard. Immediately call a

POISON CENTER or doctor. Wash contaminated clothing before re-use or discard.

Eye Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move contact

person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER

or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation Causes severe burns to the mouth and throat.

Causes burns to the mouth and throat. Harmful if swallowed. Ingestion

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media This material is an oxidizer. Use large quantities of water as fog to fight fires in which this

material is involved.

Unsuitable extinguishing media Carbon dioxide or other extinguishing agents that smother flames are not effective in fires

involving oxidizers. Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can

be formed. Water jets are not recommended in fires involving chemicals.

Specific hazards arising from the May intensify fire; oxidizer.

chemical

fire-fighters

Special protective equipment for Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions / Protective Equipment / **Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials.

Stay upwind, ventilate area. Do not breathe dust.

Prevent material from entering waterways, sewers or confined spaces. Notify local health **Environmental Precautions**

and wildlife officials. Notify operators of nearby water intakes.



CALCIUM HYPOCHLORITE, HTH GRANULES

Methods and Materials for Containment and Cleaning Up

Do not pre-damp spilled material, it may generate toxic chlorine. Avoid the release of dust into the air. Use a vacuum to colect spilled material, transfer into clean, dry, labelled containers and cover. Flush area with water.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling
An emergency shower and eyewash station should be available, tested, and be near to the

product being handled in accordance with provincial regulations.

Use sensible workplace hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of

dust into the workplace air.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Never return contaminated material to its original container.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and

incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous

residues. Protect label and keep it visible.

Incompatibilities Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol-based

heat transfer fluids

Moisture can cause chlorine gas release. Nitrogen compounds such as ammonia cause the

formation of irritating and toxic chloramines.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits

Component Regulation Type of listing Value

Chlorine ACGIH TWA 0.5 ppm

STEL / Ceiling 1 ppm

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full-face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.



CALCIUM HYPOCHLORITE, HTH GRANULES

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended, wash before reuse or

discard.

Respiratory protection Where concentrations are above recommended limits, approved respiratory protection

should be worn, ensure cartridges provide protection against this product. Depending on conditions such as temperature and handling method negative pressure masks may not provide suitable protection, and positive pressure respirators or SCBAs may be required. Reevaluate any respiratory protection used regularly, as their protective effects tend to

degrade over time.

In emergency conditions SCBAs are recommended.

For NIOSH respirator recommendations for: Chlorine see section 16

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Solid

Colour White to pale yellow
Odour pungent, chlorine
Odour threshold Not available

pH 10.4-10.8 @ 1% in water

Melting point / freezing point Not applicable (decomposes)

Initial boiling point and boiling Not applicable (decomposes)

range

Flash point Not applicable
Evaporation rate Not available
Flammability Non-flammable
Upper flammable limit Not available
Lower flammable limit Not available
Vapour pressure Not available
Vapour density Not available

Relative density g/cm³

Solubility 180-220 g/L @ 20 °C

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature Not available

Decomposition temperature 100-175 °C a wide variety of decomposition temperatures have been reported. Calcium

hypochlorite decomposition rate increases with temperature and exposure to light.

Viscosity Not applicable Specific gravity Not applicable

Particle characteristics Particle size: 210-1190 micron (>95%)

Particle shape: Granular



CALCIUM HYPOCHLORITE, HTH GRANULES

SECTION 10. STABILITY AND REACTIVITY

Reactivity This product is an oxidizer and will react with reducing agents and organic compounds such

as paper or wood to produce heat and could catch fire.

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Keep away from clothing and other combustible materials. Avoid contact with incompatible

materials.

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol-based

heat transfer fluids

Moisture can cause chlorine gas release. Nitrogen compounds such as ammonia cause the

formation of irritating and toxic chloramines.

Hazardous decomposition

products

Chlorine gas, chloramines.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Calcium hypochlorite Oral Rat 790 mg/kg bw

Toxic Health Effect Summary

Chemical Calcium hypochlorite is a strong oxidizing agent. The majority of its effects are thought to be localized

characteristics to the point of contact

Skin Causes severe skin burns.

Ingestion Causes burns to the mouth and throat. Harmful if swallowed.

Inhalation Causes severe burns to the mouth and throat.

Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

Carcinogenicity IARC has classified hypochlorite salts as group 3, not classifiable as to its carcinogenicity to humans.

Reproductive toxicity This product and its components at their listed concentration have no known reproductive effects.

Specific organ This product and its components at their listed concentration have no known effects on specific

toxicity organs.

Aspiration hazard Not available Synergistic materials Not available



CALCIUM HYPOCHLORITE, HTH GRANULES

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Component Value Exposure Time Type Species

Chlorine LC50 Rainbow trout 0.06 mg/L 96 hours

> EC50 Water flea 0.116 mg/L 48 hours EC50 Algea 0.075-0.330 mg/L 24 hours

The domestic substance list categorizes calcium hypochlorite as non-persistent. Biodegradability

Bioaccumulation The domestic substance list categorizes calcium hypochlorite as non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects The domestic substance list categorizes calcium hypochlorite as inherently toxic to aquatic

organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Products

Waste From Residues / Unused Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

SECTION 14. TRANSPORT INFORMATION

UN number **UN2880**

UN proper shipping name and

description

CALCIUM HYPOCHLORITE, HYDRATED MIXTURE

with not less than 5.5% but not more than 16% water

5.1 Transport hazard class(es) Ш Packing group **Excepted quantities** 1 kg

Environmental hazards

Listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions

Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

Special Provisions:

94 When these dangerous goods are in transport, they must be kept out of direct sunlight and away from all sources of heat, and must be placed in adequately ventilated areas.



CALCIUM HYPOCHLORITE, HTH GRANULES

SECTION 15. REGULATORY INFORMATION

All components of this product appear on the domestic substance list.

NSF Certification: Calcium Hypochlorite, HTH Granular, NSF® - 60 is certified to NSF / ANSI / CAN Std 60 for disinfection and oxidation and as an algicide at a maximum dosage of: 15 mg/L. NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

SECTION 16. OTHER INFORMATION

Date of latest revision: November 20, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns, please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/npgd0092.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/1611
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide