

Section 01 Identification

Product Identifier Carbon, Activated

Activated Carbon, CL48S, Granular, Coal, 4x8 Mesh

Activated Carbon, CL500, Powdered Coal

Activated Carbon, CL830, Granular, Coal, 8x30 Mesh

Activated Carbon, CL850, Powdered Coal

Activated Carbon CL1240, Granular, Coal, 12x40 Mesh

Activated Carbon CLI46, Extruded, Impregnated, Coal, 4mm pellet

Activated Carbon, CT830, Granular, Coconut, 8x30 Mesh

Activated Carbon CT830AW, Granular, Coconut, 8x30 Mesh, Acid Washed

Activated Carbon CT1230YG, Granular, Coconut, 12x30 Mesh

Addsorb VQ1 Activated Carbon 4.0 mm Coal Aguasorb BP2 Powder Activated Carbon Coal

Aquasorb CT Granular Coconut Shell Activated Carbon 8x30 Aquasorb Granular Activated Carbon AD-VA3 4 mm Pellet Coal

ColorSorb HP120 N PAC-S

Extruded Activated Carbon, Coal, 4mm pellet

Haycarb Granular Cocnut Shell Activated Carbon HRO 12x30 Mesh

Other Means of Identification Activated granular carbon, activated powdered carbon, pelleted activated carbon, activated

charcoal animal bone black.

on Use

Product Use and Restrictions Water purfication, gold recovery and air scrubbing

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

GHS-Classification

This product has been assessed in accordance with the Hazardous Products Regulations and is not classified as a hazardous substance or mixture.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: March 17, 2025

Section 03 Composition / Information on Ingredients

Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Carbon Coal, charcoal 7440-44-0 >99%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned.Ingestion Get medical advice / attention if you feel unwell or are concerned.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

contact irritation occurs or if you feel unwell: Get medical advice / attention.

EyeGently brush product off face. Do not rub eyes. Let the eyes water naturally for a few minutes. Look right and contact
left, then up and down. If particle / dust does not come out, cautiously rinse eye with lukewarm gently flowing

water for 5 minutes or until particle / dust is removed, while holding the eyelids open. If eye irritation persists:

Get medical advice / attention. Do not attempt to manually remove anything from the eyes.

Most important symptoms and effects, both acute and delayed

InhalationMay cause respiratory irritation.IngestionMay cause discomfort or nausea.

Skin contact Not available

Eye contact May cause eye irritation and redness.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing Water jets are not recommended in fires involving chemicals.

media

Specific hazards arising from In the event of a fire oxides of carbon may be released. Dust from this product may ignite.

the chemical After a fire this product can smolder for a long time.

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and protective clothing.

for fire-fighters

Section 06 Accidental Release Measures

Personal Precautions / Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Protective Equipment / Personal Protection). Stay upwind, ventilate area.

Emergency Procedures

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 2 of 6

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when

not in use and when empty. Protect label and keep it visible.

Incompatibilities Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Solvents

Section 08 Exposure Controls and Personal Protection

Exposure limits

There are no known exposure limits for this product.

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

> control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other No specific recommendations beyond the required hygiene facilities at the place of work.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, safety glasses are recommended. Contact

lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection Where handling this product it is recommended that skin contact is avoided.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Solid Colour Black Odour Odourless Odour threshold Not applicable

Property

Hq Not available

Melting point / freezing point Sublimates >4000 °C Initial boiling point and

boiling range

Sublimates >4000 °C

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 17, 2025

Page 3 of 6

Flash point Not applicable **Evaporation rate** Not available **Flammability** Flammable Upper flammable limit Not applicable Lower flammable limit Not applicable Vapour pressure <1 mm of Hg Vapour density Not available Relative density 200-700 kg/m³ Solubility Not soluble in water

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature452-518 °CDecomposition temperatureNot availableViscosityNot applicableSpecific gravityNot applicable

Particle characteristics Particle size: See TDS

Particle shape: See TDS

Section 10 Stability and Reactivity

Reactivity Not available

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Not available

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materialsOxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Solvents

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Carbon Oral Rat >10,000 mg/kg bw

Inhalation Rat >64.4 mg/l

Toxic Health Effect Summary

Chemical No known effects

characteristics

Skin Tested negative for skin irritation

IngestionMay cause vomitting.InhalationMay cause mild irritation

Eye contact Scored below 1 for OECD guidline 405 on corneal opacity, iritis, conjunctival redness, and

conjunctival oedema.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: March 17, 2025

Sensitization This product and its components at their listed concentration have no known sensitizing effects.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects. Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard

Aspiration may cause pulmonary edema.

Synergistic materials

Not available

Section 12 Ecological Information

Ecotoxicity

there is no available toxicity data for this product.

Biodegradability The domestic substance list categorizes carbon as persistent.

Bioaccumulation The domestic substance list categorizes carbon as non-bioaccumulative.

Mobility Not water soluble.

Other adverse effects May absorb disolved oxygen from water.

Section 13 Disposal Considerations

Waste From Residues /

Unused Products

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging

Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN1362 (See additional information)

UN proper shipping name

and description

Not available

Transport hazard class(es) Not available Packing group Not available

Excepted quantities

Environmental hazards

Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special precautions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

TDG regulations do not apply to charcoal or carbons that are carbons made by steam Additional information

activation process [1.48 (c) (iii)] Secure containers (full or empty) during shipment and

ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: March 17, 2025

Page 5 of 6

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: March 17, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/registered-dossier/15441/1/1
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 6 of 6