

Section 01 Identification

ClearPAC Series **Product Identifier**

> ClearPAC, NSF® - 60 ClearPAC Plus, NSF® - 60

Other Means of Identification Not available

Product Use and Restrictions

on Use

Municipal potable water treatment This product is certified to NSF / ANSI / CAN standard

60 for use in drinking water, see section 15 and the NSF website for further information.

Initial Supplier Identifier ClearTech Industries Inc.

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

Corrosive to metals Category 1

Health Hazards

Serious eye damage / eye

irritation

Category 1

Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals. H318 Causes serious eye damage.

Pictograms



Precautionary Statements

Prevention

P234 Keep only in original packaging.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 1 of 7

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloveseye protection and face protection

Response

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P390 Absorb spillage to prevent material damage.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) **CAS** number Concentration (w/w%)

PAC; Poly Aluminum Aluminum chloride, basic 1327-41-9 15-40%*

Chloride

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned.

Ingestion Get medical advice / attention if you feel unwell or are concerned.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

contact irritation occurs or if you feel unwell: Get medical advice / attention.

Eye Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing contact water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do.

Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the

face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation. Ingestion May cause discomfort or nausea.

Skin contact Not available

Eve contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing Water jets are not recommended in fires involving chemicals.

Specific hazards arising from In the event of a fire oxides of aluminum and hydrogen chloride may be released.

the chemical

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 2 of 7

^{*}Exact concentration withheld as a trade secret.

Special protective equipment for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / **Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not use material handling equipment

with exposed metal surfaces.

Environmental Precautions

Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.

> Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible. Do not transfer to metal containers.

Strong acids, such as sulphuric, nitric, and hydrochloric.

Strong bases, such as potassium hydroxide, and sodium hydroxide.

Strong oxidizing agents, such as oxygen, hydrogen peroxide, hypochlorites and

permanganates.

Metals, such as aluminum, steel, and brass.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Incompatibilities

There are no known exposure limits for this product.

Engineering controls

Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025 Page 3 of 7

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

> or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection

Where handling this product it is recommended that skin contact is avoided.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Liquid Colour Pale yellow Odour Odourless **Odour threshold** Not applicable

Property

pН 0.6 - 4.0<-20 °C Melting point / freezing point 105 °C Initial boiling point and

boiling range

Flash point Not applicable **Evaporation rate** Not available **Flammability** Not applicable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not applicable Solubility Soluble in water Partition coefficient: n-Not available

octanol/water

Auto-ignition temperature Not applicable **Decomposition temperature** Not available Not available Viscosity Specific gravity 1.22-1.26 Particle characteristics Not applicable

Section 10 Stability and Reactivity

Reactivity May be corrosive to metals.

This product is stable if stored according to the recommendations in Section 07. Stability

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials. Do not freeze. Incompatible materials Strong acids, such as sulphuric, nitric, and hydrochloric.

Strong bases, such as potassium hydroxide, and sodium hydroxide.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 4 of 7

Strong oxidizing agents, such as oxygen, hydrogen peroxide, hypochlorites and

permanganates.

Metals, such as aluminum, steel, and brass.

Hazardous decomposition

products

Thermal decomposition may produce oxides of aluminum and hydrogen chloride.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Aluminum chloride, basic Oral Rat >2000 mg/kg

> Dermal Rat >2000 mg/kg

Toxic Health Effect Summary

Chemical Aluminum chlorhydrate compounds are not redily absorbed by biological processes as they precipitate

characteristics at neutral pH. Skin Not available

Ingestion May cause discomfort or nausea. Inhalation May cause respiratory irritation. Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. Mutagenicity This product and its components at their listed concentration have no known mutagenic effects. Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects. This product and its components at their listed concentration have no known reproductive effects.

Reproductive toxicity

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard Not available **Synergistic** Not available materials

Section 12 Ecological Information

Ecotoxicity

there is no available toxicity data for this product.

Percentage of product with unknown environmental toxicity: 15-40%

Biodegradability The domestic substance list categorizes aluminum chloride, basic as persistent.

Bioaccumulation The domestic substance list categorizes aluminum chloride, basic as non-bioaccumulative.

Mobility This product is water soluble, but is expected to adsorb to soil and is not expected to

contaminate ground water.

Other adverse effects The domestic substance list categorizes aluminum chloride, basic as inherently toxic to

aquatic organisms.

Section 13 Disposal Considerations

Waste From Residues / **Unused Products**

Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 5 of 7

Contaminated Packaging

Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN3264

UN proper shipping name

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

and description

(Polyaluminum chloride)

Transport hazard class(es) 8 Ш Packing group **Excepted quantities** 5L

Environmental hazards

Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions

Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

Special Provisions:

16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

NSF Certification: ClearPAC, NSF® - 60 and ClearPAC Plus, NSF® - 60 are certified to NSF / ANSI / CAN Standard 60 for coagulation & flocculation. NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

Section 16 Other Information

Date of latest revision: February 19, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: February 19, 2025

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/information-onchemicals/registered-substances
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 7 of 7