

### **Section 01 Identification**

ClearSurf LAO **Product Identifier** 

Other Means of Identification Lauramine oxide, Dodecyldimethylamine oxide, DDAO, LDAO, CAS: 1643-20-5,

CLEARSURFLAO\*\*

on Use

Product Use and Restrictions Non-ionic surfactant for industrial and commercial use.

**Initial Supplier Identifier** ClearTech Industries Inc

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

**Prepared By** ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

### Section 02 Hazard Identification

### **Physical Hazards**

This product does not qualify for any physical hazard class under WHMIS 2015

#### **Health Hazards**

Skin corrosion / irritation

Serious eye damage / eye

irritation

Category 2 Category 1

#### **Environmental Hazards**

Hazardous to the aquatic environment - acute hazard Category 1

Hazardous to the aquatic

Category 2

environment - chronic hazard

### Signal Word

### **Danger**

### **Hazard Statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### **Pictograms**

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 19, 2022

Page 1 of 8



#### **Precautionary Statements**

#### Prevention

P264 Wash affected body parts thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection

### Response

P303 P352 P332 IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs: Get medical advice /

P313 P362 P364 attention. Take off contaminated clothing and wash it before reuse.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P391 Collect spillage.

### **Disposal**

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

### **Hazards Not Otherwise Classified**

Not available

#### Supplemental Information

Not available

# Section 03 Composition / Information on Ingredients

### **Hazardous Ingredients:**

Chemical name Common name(s) CAS number Concentration (w/w%)

N,N-dimethyldodecanamine oxide Lauramine Oxide, LAO 1643-20-5 28-32%

### Section 04 First-Aid Measures

### **Description of necessary first-aid measures**

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

**Ingestion** Rinse mouth. Get medical advice / attention if you feel unwell or are concerned.

**Skin** Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 15 to 20

minutes. Get medical advice / attention. Wash contaminated clothing before re-use, or discard.

minutes. Set medical advice? attention. Wash contaminated clothing perore re-use, or discard.

**Eye**Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do.

Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the

face. Immediately call a POISON CENTER or doctor.

### Most important symptoms and effects, both acute and delayed

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: January 19, 2022

Inhalation May cause respiratory irritation. Ingestion May cause discomfort or nausea.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

### Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

Specific hazards arising from

the chemical

In the event of a fire oxides of carbon and nitrogen, ammonia and hydrogen peroxide may be

released.

for fire-fighters

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

### Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / **Emergency Procedures**  Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area.

**Environmental Precautions** 

Do NOT let this chemical enter the environment. Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of

nearby water intakes.

**Methods and Materials for** Containment and Cleaning

Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. LARGE SPILLS: Contact fire and emergency services and supplier for advice.

# **Section 07 Handling and Storage**

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

> materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

Incompatibilities Strong oxidizing agents, such as nitric acid and permanganates.

### Section 08 Exposure Controls and Personal Protection

### **Exposure limits**

There are no known exposure limits for this product.

### **Engineering controls**

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 19, 2022

Page 3 of 8

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

#### Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

**Eye and face protection** Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

**Hand and body protection** Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or

discard.

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards

Not available

Soluble in water

# **Section 09 Physical and Chemical Properties**

#### **Appearance**

Physical state Liquid

Colourless to light yellow

Odour Not available
Odour threshold Not available

**Property** 

pH 6-9 @ 10%

Melting point / freezing point Not available

Initial boiling point and >100 °C

boiling range

Solubility

Not available Flash point Not available Evaporation rate **Flammability** Not applicable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not applicable

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 19, 2022

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

Specific gravity  $0.96 \pm 0.01 \text{ g/mL} @ 20 ^{\circ}\text{C}$ 

Particle characteristics Not applicable
Formula C 12H 25NO(CH 3)2
Molecular weight 229.408 g/mol

### Section 10 Stability and Reactivity

Reactivity Not available

**Stability** This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

**Conditions to avoid** Avoid contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents, such as nitric acid and permanganates.

Hazardous decomposition

products

Thermal decomposition may produce oxides of carbon and nitrogen, ammonia and

hydrogen peroxide.

### **Section 11 Toxicological Information**

### Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Acute toxicity estimate	Oral	Rat	>2,000 mg/kg bw	
	Dermal	Rat	>2,000 mg/kg bw	

### **Toxic Health Effect Summary**

Chemical No known effects

characteristics

**Skin** Causes skin irritation.

IngestionMay cause discomfort or nausea.InhalationMay cause respiratory irritation.Eye contactCauses serious eye damage.

This product and its components at their listed concentration have no known sensitizing effects.

This product and its components at their listed concentration have no known mutagenic effects.

This product and its components at their listed concentration have no known carcinogenic effects.

This product and its components at their listed concentration have no known reproductive effects.

This product and its components at their listed concentration have no known reproductive effects.

Reproductive

Specific organ toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard Not available
Synergistic Not available
materials

Customer Service: 800.387.7503 <a href="https://www.cleartech.ca">www.cleartech.ca</a> <a href="https://www.cleartech.ca">Emergency: 306.664.2522</a> <a href="https://www.cleartech.ca">Page 5 of 8</a>

### **Section 12 Ecological Information**

### **Ecotoxicity**

Component	Type	Species	Value	<b>Exposure Time</b>
Lauramine oxide	LC50	Fish	31.8 mg/L	96 hours
	EC50	Aquatic invertabrates	3.43 mg/L	48 hours
	EC50	Algea	0.2 mg/L	72 hours

Biodegradability The domestic substance list categorizes all of the components of this product as non-

persistent.

The domestic substance list categorizes all of the components of this product as non-Bioaccumulation

bioaccumulative.

**Mobility** This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Not available

### Section 13 Disposal Considerations

Waste From Residues / **Unused Products** 

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

### **Section 14 Transport Information**

**UN** number UN3082

UN proper shipping name

and description

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Lauramine Oxide)

Transport hazard class(es) 9 Packing group Ш **Excepted quantities** 5 L

**Environmental hazards** 

Special precautions

Listed as a marine pollutant under Canadian TDG Regulations, schedule III.

16 (1) The technical name of at least one of the most dangerous substances that

predominantly contributes to the hazard or hazards posed by the dangerous goods must be

shown, in parentheses, on the shipping document following the shipping name in

accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods

Safety Marks).

99 (1)Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the

dangerous goods are loaded into a means containment and during transport.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 19, 2022

99 (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., or less than 450 L

of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

Transport in bulk

ERAP index: not available

MARPOL 73/78 and IBC Code:

Product name: Alkyl (C12+) dimethylamine

Pollution category: X

the product is included in the Code because of both its safety and Hazards:

pollution hazards.

Ship type: ship type 1

Tank type: integral gravity tank Tank vents: controlled venting

Tank

environmental no special requirements under this Code

control:

Electrical

Temperature classes no requirements

Apparatus group no requirements equipment:

Flash point flashpoint exceeding 60 °C

Gauging: closed gauging Vapour detection: toxic vapours

> regular foam; encompasses all foams that are not of an alcoholresistant type, including fluoro-protein and aqueous-film-forming foam

Fire protection: (AFFF)

water-spray dry chemical

Emergency

see 14.3.1 equipment

Specific and

operational 15.12, 15.17, 15.19

requirements

**Additional information** 

Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

### **Section 15 Regulatory Information.**

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 19, 2022

### Section 16 Other Information

Date of latest revision: January 19, 2022

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

#### References:

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 19, 2022 Page 8 of 8