

Section 01 Identification

Product Identifier Descaler 140
Other Means of Identification Not available
Product Use and Restrictions Boiler descaler

on Use

Initial Supplier Identifier ClearTech Industries Inc

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Skin corrosion / irritation Category 2

Signal Word

Warning

Hazard Statements

H315 Causes skin irritation.

Pictograms



Precautionary Statements

Prevention

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloves

Response

P303 P352 P332 IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs: Get medical advice / P313 P362 P364 attention. Take off contaminated clothing and wash it before reuse.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 1 of 7

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) **CAS** number Concentration (w/w%)

Amidosulfonic acid 5329-14-6 80-100% Sulphamic acid

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor if you feel unwell.

Ingestion Rinse mouth. Get medical advice / attention if you feel unwell or are concerned.

Skin Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated contact

clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 15 to 20

minutes. Get medical advice / attention. Wash contaminated clothing before re-use, or discard.

Eye Gently brush product off face. Do not rub eyes. Let the eyes water naturally for a few minutes. Look right and contact

left, then up and down. If particle / dust does not come out, cautiously rinse eye with lukewarm gently flowing water for 5 minutes or until particle / dust is removed, while holding the eyelids open. If eye irritation persists:

Get medical advice / attention. Do not attempt to manually remove anything from the eyes.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation. Ingestion May cause discomfort or nausea.

Skin contact Causes skin irritation.

Eye contact May cause eye irritation and redness.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

the chemical

Specific hazards arising from In the event of a fire oxides of sulphur and nitrogne, and ammonia may be released. Thermal

decomposition occurs at ~205 °C.

Special protective equipment

for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and

Personal Protection). Stay upwind, ventilate area.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 17, 2022

Page 2 of 7

Environmental Precautions

Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Conditions for Safe Storage Store in a cool, dry area, out of direct sunlight, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

IncompatibilitiesBases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Reacts violently with chlorine and nitric acid.

Section 08 Exposure Controls and Personal Protection

Exposure limits

There are no known exposure limits for this product.

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, are recommended. Contact lenses are not

recommended; they may contribute to severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or

discard.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 3 of 7

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Solid Colour White Odour Odourless **Odour threshold** Not applicable

Property

<1.0 pН Melting point / freezing point ~205 °C Initial boiling point and Not available

boiling range

Flash point Not applicable Not available **Evaporation rate** Non-flammable Flammability Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not available

Solubility Soluble in water (21.3 g/100 mL @ 20 °C)

Partition coefficient: n-

octanol/water

Not available

Auto-ignition temperature Not available ~205 °C **Decomposition temperature**

Viscosity Not applicable Specific gravity Not applicable

Particle characteristics Particle size: Not available Particle shape: Not available

Section 10 Stability and Reactivity

Reactivity This product is a strong acid.

Stability Sulphamic acid hydrolyzes to form ammonium bisulphate.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materials Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Reacts violently with chlorine and nitric acid.

Hazardous decomposition

products

Thermal decomposition may produce oxides of sulphur and nitrogne, and ammonia.

Thermal decomposition occurs at ~205 °C.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 17, 2022

Page 4 of 7

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Sulphamic acid Oral Rat 2,140 mg/kg bw

Dermal Rat >2,000 mg/kg bw

Toxic Health Effect Summary

Chemical This product is a strong acid.

characteristics

Skin Causes skin irritation.

IngestionMay cause discomfort or nausea.InhalationMay cause respiratory irritation.

Eye contact May cause eye irritation and redness.

SensitizationThis product and its components at their listed concentration have no known sensitizing effects.MutagenicityThis product and its components at their listed concentration have no known mutagenic effects.CarcinogenicityThis product and its components at their listed concentration have no known carcinogenic effects.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard Synergistic

Not available

materials

toxicity

Not available

Section 12 Ecological Information

Ecotoxicity

| Component | Туре | Species | Value | Exposure Time |
|----------------|------|------------------|-----------|---------------|
| Sulphamic acid | LC50 | Freshwater fish | 70.3 mg/L | 96 hours |
| | EC50 | Daphnia magna | 71.6 mg/L | 48 hours |
| | EC50 | Freshwater algea | 48 mg/L | 72 hours |

Biodegradability The domestic substance list categorizes sulphamic acid as persistent.

BioaccumulationThe domestic substance list categorizes sulphamic acid as non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Not available

Section 13 Disposal Considerations

Waste From Residues / Unused Products

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated PackagingDo not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Page 5 of 7

Section 14 Transport Information

UN number UN2967

UN proper shipping name

and description

SULPHAMIC ACID

Transport hazard class(es) 8 Packing group Ш **Excepted quantities** 5 kg

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special provisions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: May 17, 2022

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 17, 2022 Page 6 of 7

Descaler 140 ClearTech Industries Inc

6) HSDB 7) PAN

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: May 17, 2022

Page 7 of 7