

Section 01 Identification

Product Identifier Ferric Chloride Solution

> Ferric Chloride 37-42% Solution Ferric Chloride 38% Solution Ferric Chloride Solution

Ferric Chloride Solution NSF® - 60

Other Means of Identification

Iron (III) chloride

on Use

Product Use and Restrictions Wastewater treatment, purifying factory effluents and deodorizing sewage, mordant in dyeing and printing textiles; pigments and inks; photoengraving. This product is certified to

NSF / ANSI / CAN standard 60 for use in drinking water, see section 15 and the

NSF website for further information.

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

Corrosive to metals Category 1

Health Hazards

Acute toxicity - oral Category 4 Skin corrosion / irritation Category 1B Serious eye damage / eye Category 1

irritation

Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Pictograms

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: February 19, 2025

Page 1 of 8



Precautionary Statements

Prevention

P234 Keep only in original packaging.

P260 Do not breathe vapours, fumes, or mists.

P264 Wash affected body parts thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

P301 P312 P330 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor if

P331 you feel unwell.

P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

P363 shower. Wash contaminated clothing before reuse.

P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Iron chloride (FeCl3) Ferric Chloride 7705-08-0 36-42%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: February 19, 2025

Inhalation Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

> CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation

(AED). Avoid mouth to mouth contact by using a barrier device.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs

naturally, lie on your side, in the recovery position.

Skin contact

Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard.

Eve contact Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a

POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation Causes severe burns to the mouth and throat (mist).

Causes burns to the mouth and throat. Harmful if swallowed. Ingestion

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Water jets are not recommended in fires involving chemicals.

Specific hazards arising from

the chemical

Reacts with many metals to liberate hydrogen gas that can form explosive mixtures. Heat may liberate corrosive and toxic hydrogen chloride gas. Hydrogen chloride is denser than air

and will accumulate in low lying areas.

Special protective equipment

for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment /** Emergency Procedures Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not breathe vapours, fumes, or mists. Do not use material handling equipment with exposed metal surfaces.

Environmental Precautions

Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for **Containment and Cleaning** Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of vapours, fumes, or mists into the workplace air.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.

Never return contaminated material to its original container.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible. Do not transfer to metal containers.

Incompatibilities

Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Metals, such as aluminum, steel, and brass.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Component	Regulation	Type of listing	Value
Iron salts - soluble, as Fe	ACGIH	TWA	1 mg/m³
	ACGIH	STEL/Ceiling	2 mg/m³

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other An emergency shower and eyewash station should be available, tested, and be in close

proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

> or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment.

Thermal hazards Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state Liquid

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 4 of 8

Colour Orange to dark brown

Odour Not available
Odour threshold Not applicable

Property

pH <1.0 Melting point / freezing point ~-10 °C

Initial boiling point and

boiling range

Not available

Flash point

Evaporation rate

Flammability

Upper flammable limit

Lower flammable limit

Vapour pressure

Not applicable

Partition coefficient: n-

octanol/water

Solubility

Relative density

Not available

Not applicable

Soluble in water

Auto-ignition temperatureNot applicableDecomposition temperatureNot availableViscosityNot availableSpecific gravity≥1.400

Particle characteristics Not applicable

Section 10 Stability and Reactivity

Reactivity May be corrosive to metals. Reacts with many metals to liberate hydrogen gas that can

form explosive mixtures. Reacts violently with bases.

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials.

Incompatible materials Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Metals, such as aluminum, steel, and brass.

Hazardous decomposition

products

Not available

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Iron (II) chloride Oral Rat 500 mg/kg bw

Toxic Health Effect Summary

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: February 19, 2025

Page 5 of 8

Chemical This product is not expected to be absorbed by the body. The primary toxic affect is most likely it's low characteristics

pH.

Skin Causes severe skin burns.

Ingestion Causes burns to the mouth and throat. Harmful if swallowed.

Inhalation Causes severe burns to the mouth and throat (mist).

Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. This product and its components at their listed concentration have no known mutagenic effects. Mutagenicity Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard Not available **Synergistic** Not available

materials

Section 12 Ecological Information

Ecotoxicity

Component Type Species Value **Exposure Time** Ferric chloride No relevant effects Biodegradability The domestic substance list categorizes ferric chloride as persistent. Bioaccumulation The domestic substance list categorizes ferric chloride as non-bioaccumulative. Mobility This product is water soluble, but is expected to adsorb to soil and is not expected to contaminate ground water.

Section 13 Disposal Considerations

Not available

Waste From Residues / **Unused Products**

Other adverse effects

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging

Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN2582

UN proper shipping name

and description

FERRIC CHLORIDE SOLUTION

Transport hazard class(es) 8 Packing group Ш **Excepted quantities** 5 L

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special precautions Transport in bulk ERAP index: Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 19, 2025

Page 6 of 8

MARPOL 73/78 and IBC Code:

Product name: Ferric chloride solution

Pollution category: Y

Hazards: the product is included in the Code because of both its safety

and pollution hazards.

Ship type: ship type 3

Tank type: integral gravity tank

Tank vents: open venting

Tank environmental control: no special requirements under this Code

Temperature classes No information

Electrical equipment: Apparatus group No information

> Flash point non-flammable product

Gauging: open gauging

Vapour detection: no special requirements under this Code Fire protection: no special requirements under this Code

Emergency equipment No

Specific and operational requirements 15.11, 15.19.6, 16.2.9

Additional information

Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

NSF Certification: Ferric Chloride Solution NSF® - 60 is certified to NSF / ANSI / CAN Standard 60 for coagulation & flocculation at a maximum dosage of 250 mg/L for all concentrations. NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

Section 16 Other Information

Date of latest revision: February 19, 2025

Revision Date: February 19, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Page 7 of 8

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit: Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/16109
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Revision Date: February 19, 2025 Page 8 of 8