



Safety Data Sheet

FERRIC SULPHATE SOLUTION

SECTION 1. IDENTIFICATION

| | |
|-------------------------------------|---|
| Product Identifier | Ferric Sulphate Solution Ferric Sulphate 60%, Solution |
| Other Means of Identification | Code: FERS60** DSL: Sulfuric acid, iron(3++) salt (3:2) CAS: 10028-22-5 |
| Product Use and Restrictions on Use | For commercial and industrial use. |
| Initial Supplier Identifier | ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca |
| 24-Hour Emergency Phone | 306.664.2522 |

SECTION 2. HAZARD IDENTIFICATION

| | |
|-------------------------------------|------------|
| Corrosive to metals | Category 1 |
| Acute toxicity - oral | Category 4 |
| Skin corrosion / irritation | Category 2 |
| Serious eye damage / eye irritation | Category 1 |

Pictograms



Signal Word: Danger

Hazard Statements

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

Precautionary Statements

Prevention

- P234 Keep only in original packaging.
- P264 Wash affected body parts thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves, eye protection, face protection.



Safety Data Sheet

FERRIC SULPHATE SOLUTION

Response

- P301 P312 P330 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.
- P303 P352 P332 IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs: Get medical advice /
P313 P362 P364 attention. Take off contaminated clothing and wash it before reuse.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
- P390 Absorb spillage to prevent material damage.

Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:

| <i>Chemical name</i> | <i>Common name(s)</i> | <i>CAS number</i> | <i>Concentration (w/w%)</i> |
|-------------------------------------|-----------------------|-------------------|-----------------------------|
| Sulfuric acid, iron(3++) salt (3:2) | Ferric sulphate | 10028-22-5 | 58-62% |
| Sulphuric acid | Sulfuric acid | 7664-93-9 | <3% |

SECTION 4. FIRST-AID MEASURES

Description of necessary first-aid measures

- Inhalation** Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.
- Ingestion** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, lie on your side, in the recovery position.
- Skin contact** Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 15 to 20 minutes. Get medical advice / attention. Wash contaminated clothing before re-use or discard.
- Eye contact** Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

- Inhalation** May cause respiratory irritation.
- Ingestion** Harmful if swallowed. May cause discomfort or nausea.
- Skin contact** Causes skin irritation.
- Eye contact** Causes serious eye damage.
- Further information** For further information see Section 11 Toxicological Information.



Safety Data Sheet

FERRIC SULPHATE SOLUTION

SECTION 5. FIRE FIGHTING MEASURES

| | |
|--|--|
| Suitable extinguishing media | Extinguish fire using extinguishing agents suitable for the surrounding fire. |
| Unsuitable extinguishing media | Water jets are not recommended in fires involving chemicals. |
| Specific hazards arising from the chemical | Reacts with many metals to liberate hydrogen gas that can form explosive mixtures. In the event of a fire oxides of sulphur may be released. |
| Special protective equipment for fire-fighters | Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| | |
|--|---|
| Personal Precautions / Protective Equipment / Emergency Procedures | Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not use material handling equipment with exposed metal surfaces. |
| Environmental Precautions | Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes. |
| Methods and Materials for Containment and Cleaning Up | SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. LARGE SPILLS: Contact fire and emergency services and supplier for advice. |

SECTION 7. HANDLING AND STORAGE

| | |
|-------------------------------|--|
| Precautions for Safe Handling | <p>A soak hose and eyewash station or emergency shower and eyewash station should be available, tested, and be near to the product being handled in accordance with provincial regulations.</p> <p>Use sensible workplace hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.</p> <p>Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.</p> <p>Never return contaminated material to its original container.</p> |
| Conditions for Safe Storage | Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible. Do not transfer to metal containers. |
| Incompatibilities | <p>Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime), ammonia, carbonates.</p> <p>Metals, such as aluminum, steel, and brass.</p> |

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits

| Component | Regulation | Type of listing | Value |
|-----------------------------|------------|-----------------|-----------------------|
| Iron salts - soluble, as Fe | ACGIH | TWA | 1 mg/m ³ |
| | ACGIH | STEL/Ceiling | 2 mg/m ³ |
| Sulfuric acid (Thoracic) | ACGIH | TWA | 0.2 mg/m ³ |



Safety Data Sheet

FERRIC SULPHATE SOLUTION

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full-face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended, wash before reuse or discard.

Respiratory protection Where concentrations are above recommended limits, approved respiratory protection should be worn, ensure cartridges provide protection against this product. Depending on conditions such as temperature and handling method negative pressure masks may not provide suitable protection, and positive pressure respirators or SCBAs may be required. Reevaluate any respiratory protection used regularly, as their protective effects tend to degrade over time.
In emergency conditions SCBAs are recommended.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|-------------------|
| Physical state | Liquid |
| Colour | Red to dark brown |
| Odour | Not available |
| Odour threshold | 1-5 ppm |
| pH | <1.0 |
| Melting point / freezing point | <-50 °C |
| Initial boiling point and boiling range | Not available |
| Flash point | Not applicable |
| Evaporation rate | Not available |
| Flammability | Not applicable |
| Upper flammable limit | Not applicable |
| Lower flammable limit | Not applicable |
| Vapour pressure | Not available |
| Vapour density | 1.268 |



Safety Data Sheet

FERRIC SULPHATE SOLUTION

| | |
|--|------------------|
| Relative density | Not applicable |
| Solubility | Soluble in water |
| Partition coefficient: n-octanol/water | Not available |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available |
| Viscosity | Not available |
| Specific gravity | 1.50-1.62 |
| Particle characteristics | Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | May be corrosive to metals. Reacts with many metals to liberate hydrogen gas that can form explosive mixtures. Reacts with water to generate heat. Reacts violently with bases. |
| Stability | This product is stable if stored according to the recommendations in Section 07. |
| Possibility of hazardous reactions | Hazardous polymerization is not known to occur. |
| Conditions to avoid | Avoid contact with incompatible materials. Avoid high temperatures. Avoid contact with incompatible materials. Keep container tightly sealed. Do not use in areas without adequate ventilation. |
| Incompatible materials | Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime), ammonia, carbonates. Metals, such as aluminum, steel, and brass. |
| Hazardous decomposition products | Thermal decomposition may produce oxides of sulphur. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity (LD50 / LC50 values)

| <i>Component</i> | <i>Route</i> | <i>Species</i> | <i>Value</i> | <i>Exposure time</i> |
|--------------------|--------------|----------------|--------------|----------------------|
| Iron (II) chloride | Oral | Rat | 500 mg/kg bw | |

Toxic Health Effect Summary

| | |
|--------------------------|---|
| Chemical characteristics | This product is not expected to be absorbed by the body. The primary toxic affect is most likely it's low pH. |
| Skin | Causes skin irritation. |
| Ingestion | Harmful if swallowed. May cause discomfort or nausea. |
| Inhalation | May cause respiratory irritation. |
| Eye contact | Causes serious eye damage. |
| Sensitization | This product and its components at their listed concentration have no known sensitizing effects. |
| Mutagenicity | This product and its components at their listed concentration have no known mutagenic effects. |
| Carcinogenicity | IARC has classified mists from strong inorganic acids as group 1, carcinogenic to humans. |
| Reproductive toxicity | This product and its components at their listed concentration have no known reproductive effects. |



Safety Data Sheet

FERRIC SULPHATE SOLUTION

| | |
|-------------------------|---|
| Specific organ toxicity | This product and its components at their listed concentration have no known effects on specific organs. |
| Aspiration hazard | Not available |
| Synergistic materials | Not available |

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

| <i>Component</i> | <i>Type</i> | <i>Species</i> | <i>Value</i> | <i>Exposure Time</i> |
|------------------|--------------------|----------------|--------------|----------------------|
| Ferric sulphate | LC50 (pH adjusted) | Rainbow trout | >27.9 mg/L | 96 hours |
| Ferrous sulphate | EC50 (pH adjusted) | Daphnia magna | 5.25 mg/L | 24 hours |

| | |
|-----------------------|---|
| Biodegradability | The domestic substance list categorizes Ferric sulphate as persistent. |
| Bioaccumulation | The domestic substance list categorizes Ferric sulphate as non-bioaccumulative. |
| Mobility | This product is water soluble, but is expected to adsorb to soil and is not expected to contaminate ground water. |
| Other adverse effects | Not available |

SECTION 13. DISPOSAL CONSIDERATIONS

| | |
|---------------------------------------|--|
| Waste From Residues / Unused Products | Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act. |
| Contaminated Packaging | Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility. |

SECTION 14. TRANSPORT INFORMATION

| | |
|---|---|
| UN number | UN3264 |
| UN proper shipping name and description | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Ferric sulphate) |
| Transport hazard class(es) | 8 |
| Packing group | III |
| Excepted quantities | 5 L |
| Environmental hazards | Not listed as a marine pollutant under Canadian TDG Regulations, schedule III. |
| Special precautions | |
| Transport in bulk | ERAP index: Not available |
| | MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code. |



Safety Data Sheet

FERRIC SULPHATE SOLUTION

| | |
|------------------------|--|
| Additional information | Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position. Special Provisions: 16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). |
|------------------------|--|

SECTION 15. REGULATORY INFORMATION

All components of this product appear on the domestic substance list.

SECTION 16. OTHER INFORMATION

Date of latest revision: March 04, 2026

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns, please call our customer service center.

References:

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/default.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Board of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://chem.echa.europa.eu/100.030.054>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide