



Safety Data Sheet

Section 01 Identification

Product Identifier	Filtra KAL
Other Means of Identification	FILK**
Product Use and Restrictions on Use	For commercial or industrial use.
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca
Prepared By	ClearTech Industries Inc. technical writer
24-Hour Emergency Phone	306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Skin corrosion / irritation	Category 1C
Serious eye damage / eye irritation	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity - repeated exposure	Category 2

Environmental Hazards

Hazardous to the aquatic environment - acute hazard	Category 1
--	------------

Signal Word

Danger

Hazard Statements

- H314 Causes severe skin burns and eye damage.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to the brain via inhalation
- H400 Very toxic to aquatic life.

Pictograms



Precautionary Statements

Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust.
- P264 Wash affected body parts thoroughly after handling.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, protective clothing, eye protection, face protection

Response

- P301 P330 P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308 P313 IF exposed or concerned: Get medical advice or attention.
- P314 Get medical advice or attention if you feel unwell.
- P391 Collect spillage.

Storage

- P405 Store locked up.

Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Permanganic acid (HMnO ₄), potassium salt	Potassium permanganate	7722-64-7	6-8%
Zeolites	Zeolites	1318-02-1	79.5-81.5%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Customer Service: 800.387.7503

www.cleartech.ca

Emergency: 306.664.2522

Revision Date: August 05, 2022

Page 2 of 8

Inhalation	Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device. If exposed or concerned: Get medical advice / attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs naturally, lie on your side, in the recovery position. If exposed or concerned: Get medical advice / attention.
Skin contact	Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 30 minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard. If exposed or concerned: Get medical advice / attention.
Eye contact	Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation	Causes severe burns to the mouth and throat. Suspected of causing damage to the brain via prolonged or repeated exposures.
Ingestion	Causes burns to the mouth and throat. Suspected of causing birth defects via prolonged exposure.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Further information	For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media	Extinguish fire using extinguishing agents suitable for the surrounding fire.
Unsuitable extinguishing media	Water jets are not recommended in fires involving chemicals.
Specific hazards arising from the chemical	In the event of a fire oxides of potassium and manganese, and formic acid may be released.
Special protective equipment for fire-fighters	Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / Emergency Procedures	Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not breathe dust.
Environmental Precautions	Do NOT let this chemical enter the environment. Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
Methods and Materials for Containment and Cleaning Up	Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of dust into the workplace air. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available. Never return contaminated material to its original container.
Conditions for Safe Storage	Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.
Incompatibilities	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Powdered metals, peroxides, zinc, copper, alcohols.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Component	Regulation	Type of listing	Value
Manganese (as Mn) - total	ACGIH	TWA	0.2 mg/m ³
Manganese (as Mn) - respirable	ACGIH	TWA	0.02 mg/m ³

Engineering controls

Ventilation Requirements	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.
Other	An emergency shower and eyewash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection	Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.
Hand and body protection	Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.
Respiratory protection	In case of insufficient ventilation wear suitable respiratory equipment.
Thermal hazards	Not available

Section 09 Physical and Chemical Properties

Appearance

Physical state	Solid
Colour	Purple
Odour	Not available
Odour threshold	Not available

Property

pH	Not available
Melting point / freezing point	Not available
Initial boiling point and boiling range	Not available
Flash point	Not applicable
Evaporation rate	Not available
Flammability	Non-flammable
Upper flammable limit	Not available
Lower flammable limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	0.945-0.977 g/cm ³
Solubility	Insoluble
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not applicable
Specific gravity	Not applicable
Particle characteristics	Particle size: Not available Particle shape: Granules

Section 10 Stability and Reactivity

Reactivity	Product was tested using UN test method 34.4.1, resulting in the classification "Not Division 5.1"
Stability	This product is stable if stored according to the recommendations in Section 07.
Possibility of hazardous reactions	Hazardous polymerization is not known to occur.
Conditions to avoid	Avoid contact with incompatible materials.
Incompatible materials	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Powdered metals, peroxides, zinc, copper, alcohols.
Hazardous decomposition products	Thermal decomposition may produce oxides of potassium and manganese, and formic acid.

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Potassium permanganate	Oral	Rat	2,000 mg/kg bw	
	Dermal	Rat	>2,000 mg/kg bw	

Toxic Health Effect Summary

Chemical characteristics	Manganese is an essential nutrient, but overexposure has been linked to brain damage.
Skin	Causes severe skin burns.
Ingestion	Causes burns to the mouth and throat. Suspected of causing birth defects via prolonged exposure.
Inhalation	Causes severe burns to the mouth and throat. Suspected of causing damage to the brain via prolonged or repeated exposures.
Eye contact	Causes serious eye damage.
Sensitization	This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity	This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity	This product and its components at their listed concentration have no known carcinogenic effects.
Reproductive toxicity	Studies on laboratory animals exposed to this product are associated with damage fertility or the unborn child.
Specific organ toxicity	May cause damage to the brain via inhalation
Aspiration hazard	Not available
Synergistic materials	Not available

Section 12 Ecological Information

Ecotoxicity

Component	Type	Species	Value	Exposure Time
Acute toxicity estimate	LC50	Fish	5.8 mg/L	96 hours
	EC50	Aquatic invertebrates	0.75 mg/L	48 hours
	EC50	Algae	5.3 mg/L	72 hours

Biodegradability	The domestic substance list categorizes potassium permanganate as non-persistent.
Bioaccumulation	The domestic substance list categorizes potassium permanganate as non-bioaccumulative.
Mobility	This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water.
Other adverse effects	The domestic substance list categorizes potassium permanganate as inherently toxic to aquatic organisms.

Section 13 Disposal Considerations

Waste From Residues / Unused Products	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
--	--

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number Not available
UN proper shipping name and description Not available
Transport hazard class(es) Not available
Packing group Not available
Excepted quantities Not available
Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions No special provisions
Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:
This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: August 05, 2022

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

1) CHEMINFO

- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN