

# **HYDROGEN PEROXIDE 3-5%**

#### **SECTION 1. IDENTIFICATION**

Hydrogen Peroxide 3-5% Product Identifier

> Hydrogen Peroxide 3.5% Std Hydrogen Peroxide 4.5% Std

Other Means of Identification Code: HPS03\*\*; HPS045\*\*

CAS: 7722-84-1

Product Use and Restrictions on For commercial or industrial use.

Initial Supplier Identifier

Use

ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

24-Hour Emergency Phone

306.664.2522

## **SECTION 2. HAZARD IDENTIFICATION**

#### **GHS-Classification**

This product has been assessed in accordance with the Hazardous Products Regulations and is not classified as a hazardous substance or mixture.

### **Hazards Not Otherwise Classified**

Not available

### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

### Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Hydrogen peroxide 7722-84-1 3-5% Hydrogen peroxide

### **SECTION 4. FIRST-AID MEASURES**

### Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned.

Ingestion Get medical advice / attention if you feel unwell or are concerned.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

contact irritation occurs or if you feel unwell: Get medical advice / attention.

Eye If irritation occurs, cautiously rinse eyes with lukewarm, gently flowing water for 5 minutes, while holding the

contact eyelids open. If eye irritation persists: Get medical advice / attention.



## **HYDROGEN PEROXIDE 3-5%**

### Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation.
Ingestion May cause discomfort or nausea.
Skin contact Causes transient skin irritation.

Eye contact May cause eye irritation and redness.

Further information For further information see Section 11 Toxicological Information.

#### **SECTION 5. FIRE FIGHTING MEASURES**

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing media Water jets are not recommended in fires involving chemicals.

Specific hazards arising from the Not available

chemical

Special protective equipment for Wear NIOSH-approved self-contained breathing apparatus and protective clothing.

fire-fighters

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions / Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Protective Equipment / Personal Protection). Stay upwind, ventilate area.

Emergency Procedures

Environmental Precautions Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. Use

vented containers to avoid pressure buildup.

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

### **SECTION 7. HANDLING AND STORAGE**

handling. Avoid all situations that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Never return contaminated material to its original container.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and

incompatible materials. Always store in original labeled container. Keep containers tightly

closed when not in use and when empty. Protect label and keep it visible.

Incompatibilities Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol-based

heat transfer fluids

Metals, such as aluminum, steel, and brass.



# **HYDROGEN PEROXIDE 3-5%**

### **SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**

### **Exposure limits**

Component Regulation Type of listing Value
Hydrogen Peroxide ACGIH TWA 1 ppm

## **Engineering controls**

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

## **Protective equipment**

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, safety glasses are recommended. Contact

lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection Where handling this product it is recommended that skin contact is avoided.

Respiratory protection Where concentrations are above recommended limits, approved respiratory protection

should be worn, ensure cartridges provide protection against this product. Depending on conditions such as temperature and handling method negative pressure masks may not provide suitable protection, and positive pressure respirators or SCBAs may be required. Reevaluate any respiratory protection used regularly, as their protective effects tend to

degrade over time.

In emergency conditions SCBAs are recommended.

For NIOSH respirator recommendations for: Hydrogen peroxide see section 16

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state Liquid

Colour Clear, colourless

Odour Odourless
Odour threshold Not available

pH <2
Melting point / freezing point ~0 °C
Initial boiling point and boiling ~100 °C

range

Flash point Not applicable
Evaporation rate Not available
Flammability Not applicable
Upper flammable limit Not applicable
Lower flammable limit Not applicable
Vapour pressure Not available

Revision Date: November 13, 2025



# **HYDROGEN PEROXIDE 3-5%**

Vapour density 1.17 (hydrogen peroxide)

Relative density Not applicable Solubility Soluble in water

Partition coefficient: n-

octanol/water

Log Pow = -0.70 to -1.33

Auto-ignition temperature Not applicable

Decomposition temperature 150-152 °C (Pure hydrogen peroxide)

Viscosity Not available

Specific gravity 1.010-1.016 @ 20 °C

Particle characteristics Not applicable

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity This product is an oxidizer and will react with reducing agents and organic compounds such

as paper or wood to produce heat and could potentially catch fire.

Stability This product is stable if stored according to the recommendations in Section 07. Exposure

to sunlight or high temperatures may cause the degradation of this product over time.

Possibility of hazardous

reactions

Not available

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materials Bases, such as potassium hydroxide, sodium hydroxide, calcium hydroxide (slaked lime),

ammonia, carbonates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol-based

heat transfer fluids

Metals, such as aluminum, steel, and brass.

Hazardous decomposition

products

Molecular oxygen.

## **SECTION 11. TOXICOLOGICAL INFORMATION**

## Acute Toxicity (LD50 / LC50 values)

Component Route Species Value Exposure time

Hydrogen peroxide 20% Oral Rat >2000 mg/kg
Hydrogen peroxide Dermal Rabbit >2000 mg/kg

Inhalation (aerosol) Mouse >170 mg/m³ 4 hours

### **Toxic Health Effect Summary**

Chemical Strong oxidizizer.

characteristics

Skin Causes transient skin irritation.

Ingestion May cause discomfort or nausea.

Inhalation May cause respiratory irritation.



# **HYDROGEN PEROXIDE 3-5%**

Eye contact May cause eye irritation and redness.

This product and its components at their listed concentration have no known sensitizing effects. Sensitization Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

Carcinogenicity IARC has classified hydrogen peroxide as group 3, not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

Aspiration hazard Not available

Synergistic materials Increased airways resistance was observed in volunteers exposed to hydrogen peroxide and sulfur

dioxide aerosols at the same time. An animal study has shown that concurrent inhalation exposure to fine particulates and hydrogen peroxide can increase the toxicity of both to the lungs. Exposure to

hydrogen peroxide also increased the toxicity of ozone in animals.

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Component	Type	Species	Value	Exposure Time
Hydrogen peroxide	LC50	Pimephales promelas	16.4 mg/L	72 hours
	EC50	Daphnia pulex	2.4 mg/L	48 hours
	NOEC	Skeletonema costatum	0.68 mg/L	48 hours

Biodegradability The domestic substance list categorizes hydrogen peroxide as non-persistent.

The domestic substance list categorizes hydrogen peroxide as non-bioaccumulative. Bioaccumulation

This product is water soluble, is not predicted to adsorb to soil and may contaminate ground Mobility

water.

Other adverse effects Not available

### SECTION 13. DISPOSAL CONSIDERATIONS

**Products** 

Waste From Residues / Unused Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

## SECTION 14. TRANSPORT INFORMATION

**UN** number This product does not meet the definition of dangerous goods per Part 2 of Transport of

**Dangerous Goods Regulations** 

UN proper shipping name and

description

Not available

Transport hazard class(es) Not available Packing group Not available Not available Excepted quantities

Revision Date: November 13, 2025



# **HYDROGEN PEROXIDE 3-5%**

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special precautions

Transport in bulk ERAP index: Not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

#### SECTION 15. REGULATORY INFORMATION

All components of this product appear on the domestic substance list.

#### **SECTION 16. OTHER INFORMATION**

Date of latest revision: November 13, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns, please call our customer service center.

#### References:

- 1) *NIOSH Pocket Guide to Chemical Hazards;* U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npq/npqd0335.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/registered-dossier/15701
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide

Revision Date: November 13, 2025