

---

## Section 01 Identification

---

|  |   |
|--|---|
| <b>Product Identifier</b>                  | Silver Sulphate   |
| <b>Other Means of Identification</b>       | Disilver sulfate; CAS: 10294-26-5   |
| <b>Product Use and Restrictions on Use</b> | For commercial or industrial use.   |
| <b>Initial Supplier Identifier</b>         | ClearTech Industries Inc.<br>1500 Quebec Avenue<br>Saskatoon, SK. Canada<br>S7K 1V7<br><br>Phone: 800.387.7503<br>Fax: 888.281.8109<br><a href="http://www.cleartech.ca">www.cleartech.ca</a> |
| <b>Prepared By</b>                         | ClearTech Industries Inc. technical writer  |
| <b>24-Hour Emergency Phone</b>             | 306.664.2522  |

---

## Section 02 Hazard Identification

---

### Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

### Health Hazards

|  |             |
|--|-------------|
| <b>Serious eye damage / eye irritation</b> | Category 1  |
| <b>Reproductive toxicity</b>               | Category 1B |

### Signal Word

Danger

### Hazard Statements

- H318 Causes serious eye damage.
- H360 May damage the unborn child.

### Pictograms



### Precautionary Statements

#### Prevention

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

## Response

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P308 P313 IF exposed or concerned: Get medical advice or attention.

## Storage

P405 Store locked up.

## Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

## Hazards Not Otherwise Classified

Not available

## Supplemental Information

Not available

## Section 03 Composition / Information on Ingredients

### Hazardous Ingredients:

| Chemical name                    | Common name(s)  | CAS number | Concentration (w/w%) |
|----------------------------------|-----------------|------------|----------------------|
| Sulfuric acid, disilver(1+) salt | Silver sulphate | 10294-26-5 | >98.0%               |

## Section 04 First-Aid Measures

### Description of necessary first-aid measures

**Inhalation** Get medical advice / attention if you feel unwell or are concerned. If exposed or concerned: Get medical advice / attention.

**Ingestion** Get medical advice / attention if you feel unwell or are concerned. If exposed or concerned: Get medical advice / attention.

**Skin contact** Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin irritation occurs or if you feel unwell: Get medical advice / attention. If exposed or concerned: Get medical advice / attention.

**Eye contact** Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

### Most important symptoms and effects, both acute and delayed

**Inhalation** May cause respiratory irritation.

**Ingestion** May cause discomfort or nausea.

**Skin contact** May discolour the skin or cause transient irritation.

**Eye contact** Causes serious eye damage.

**Further information** For further information see Section 11 Toxicological Information.

## Section 05 Fire Fighting Measures

|   |  |
|---|--|
| <b>Suitable extinguishing media</b>                   | Extinguish fire using extinguishing agents suitable for the surrounding fire.            |
| <b>Unsuitable extinguishing media</b>                 | Water jets are not recommended in fires involving chemicals.                             |
| <b>Specific hazards arising from the chemical</b>     | In the event of a fire oxides of sulphur and silver may be released.                     |
| <b>Special protective equipment for fire-fighters</b> | Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing. |

## Section 06 Accidental Release Measures

|   |   |
|---|---|
| <b>Personal Precautions / Protective Equipment / Emergency Procedures</b> | Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area.                                   |
| <b>Environmental Precautions</b>  | Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.                |
| <b>Methods and Materials for Containment and Cleaning Up</b>              | Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water. |

## Section 07 Handling and Storage

|                                      |   |
|--------------------------------------|---|
| <b>Precautions for Safe Handling</b> | Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure.<br>Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available. |
| <b>Conditions for Safe Storage</b>   | Store in a cool, dry area, out of direct sunlight, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.  |
| <b>Incompatibilities</b>             | Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids, hypochlorites and permanganates.   |

## Section 08 Exposure Controls and Personal Protection

### Exposure limits

| Component                   | Regulation | Type of listing | Value                  |
|-----------------------------|------------|-----------------|------------------------|
| Silver and Compounds, as Ag | ACGIH      | TWA             | 0.01 mg/m <sup>3</sup> |
|                             |            | STEL            | 0.03 mg/m <sup>3</sup> |
|                             | NIOSH      | IDLH            | 10 mg/m <sup>3</sup>   |

### Engineering controls

|                                 |   |
|---------------------------------|---|
| <b>Ventilation Requirements</b> | Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems. |
|---------------------------------|---|

**Other** A soak hose and eyewash station or emergency shower and eyewash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

## Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

**Eye and face protection** Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

**Hand and body protection** Where handling this product it is recommended that skin contact is avoided. Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or discard.

**Respiratory protection** In case of insufficient ventilation wear suitable respiratory equipment.

**Thermal hazards** Not available

## Section 09 Physical and Chemical Properties

### Appearance

**Physical state** Solid  
**Colour** Colourless to white  
**Odour** Not available  
**Odour threshold** Not available

### Property

**pH** Not available  
**Melting point / freezing point** 652 °C  
**Initial boiling point and boiling range** 1085 °C  
**Flash point** Not applicable  
**Evaporation rate** Not available  
**Flammability** Non-flammable  
**Upper flammable limit** Not available  
**Lower flammable limit** Not available  
**Vapour pressure** Not available  
**Vapour density** Not available  
**Relative density** 5.45 g/cm<sup>3</sup>  
**Solubility** Not available  
**Partition coefficient: n-octanol/water** Not available  
**Auto-ignition temperature** Not available  
**Decomposition temperature** Not available

|                                 |  |
|---------------------------------|--|
| <b>Viscosity</b>                | Not applicable   |
| <b>Specific gravity</b>         | Not applicable   |
| <b>Particle characteristics</b> | Particle size: Not available<br>Particle shape: Crystals or powder |

## Section 10 Stability and Reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | Not available   |
| <b>Stability</b>                          | This product is stable if stored according to the recommendations in Section 07.                                  |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization is not known to occur.   |
| <b>Conditions to avoid</b>                | Avoid contact with incompatible materials.  |
| <b>Incompatible materials</b>             | Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids, hypochlorites and permanganates. |
| <b>Hazardous decomposition products</b>   | Thermal decomposition may produce oxides of sulphur and silver.   |

## Section 11 Toxicological Information

### Acute Toxicity (LD50 / LC50 values)

| Component         | Route | Species | Value          | Exposure time |
|-------------------|-------|---------|----------------|---------------|
| Disilver sulphate | Oral  | Rat     | >5000 mg/kg bw |               |

### Toxic Health Effect Summary

|                                 |   |
|---------------------------------|---|
| <b>Chemical characteristics</b> | No known effects  |
| <b>Skin</b>                     | May discolour the skin or cause transient irritation.   |
| <b>Ingestion</b>                | May cause discomfort or nausea.   |
| <b>Inhalation</b>               | May cause respiratory irritation.   |
| <b>Eye contact</b>              | Causes serious eye damage.  |
| <b>Sensitization</b>            | This product and its components at their listed concentration have no known sensitizing effects.        |
| <b>Mutagenicity</b>             | This product and its components at their listed concentration have no known mutagenic effects.          |
| <b>Carcinogenicity</b>          | This product and its components at their listed concentration have no known carcinogenic effects.       |
| <b>Reproductive toxicity</b>    | Studies on laboratory animals exposed to this product are associated with damage the unborn child.      |
| <b>Specific organ toxicity</b>  | This product and its components at their listed concentration have no known effects on specific organs. |
| <b>Aspiration hazard</b>        | Not available   |
| <b>Synergistic materials</b>    | Not available   |

## Section 12 Ecological Information

### Ecotoxicity

| Component | Type | Species         | Value       | Exposure Time |
|-----------|------|-----------------|-------------|---------------|
| Silver    | LC50 | Freshwater Fish | 0.0012 mg/L | 96 hours      |

# Safety Data Sheet

Silver Sulphate  
ClearTech Industries Inc

| Component                    | Type  | Species               | Value        | Exposure Time |
|------------------------------|---|-----------------------|--------------|---------------|
|                              | EC50  | Aquatic invertebrates | 0.00022 mg/L | 48 hours      |
|                              | EC10  | Algae                 | 0.0009 mg/L  | 72 hours      |
| <b>Biodegradability</b>      | The domestic substance list categorizes disilver sulphate as persistent.  |                       |              |               |
| <b>Bioaccumulation</b>       | The domestic substance list categorizes disilver sulphate as non-bioaccumulative.                                 |                       |              |               |
| <b>Mobility</b>              | This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water.               |                       |              |               |
| <b>Other adverse effects</b> | The domestic substance list categorizes disilver sulphate as inherently toxic to aquatic organisms. Not available |                       |              |               |

## Section 13 Disposal Considerations

|  |  |
|--|--|
| <b>Waste From Residues / Unused Products</b> | Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.   |
| <b>Contaminated Packaging</b>                | Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility. |

## Section 14 Transport Information

|  |   |
|--|---|
| <b>UN number</b>                               | UN3077  |
| <b>UN proper shipping name and description</b> | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>Disilver (1+) Sulfate   |
| <b>Transport hazard class(es)</b>              | 9   |
| <b>Packing group</b>                           | III   |
| <b>Excepted quantities</b>                     | 5 kg  |
| <b>Environmental hazards</b>                   | Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.  |
| <b>Special precautions</b>                     | No special precautions  |
| <b>Transport in bulk</b>                       | ERAP index: not available   |
| <b>Additional information</b>                  | <p>MARPOL 73/78 and IBC Code:<br/>This product is not listed in Chapter 17 of the IBC Code.</p> <p>Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.</p> <p><b>Special Provisions:</b></p> <p>16 (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).</p> <p>99 (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport.</p> |

99 (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety.

**TDG PRODUCT CLASSIFICATION:** This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

## Section 15 Regulatory Information.

**NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.**

All components of this product appear on the domestic substance list.

## Section 16 Other Information

**Date of latest revision: July 04, 2024**

**Note:** The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

### **Attention: Receiver of the chemical goods / SDS coordinator**

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

### **References:**

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/default.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Board of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://echa.europa.eu/registration-dossier/-/registered-dossier/11913>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide