

Section 01 Identification

Product Identifier Sodium Chlorite 5-10% Solution

Sodium Chlorite 5% Solution Sodium Chlorite 7.5% Solution

Other Means of Identification Not available

Product Use and Restrictions

on Use

Generation of chlorine dioxide for sanitizing, oxidation or bleaching

Generation of Chilotine dioxide for Sanitizing, Oxidation of bleaching

Initial Supplier Identifier Clear Tech Industries Inc

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

This product does not qualify for any physical hazard class under WHMIS 2015

Health Hazards

Serious eye damage / eye

Category 1

irritation

Specific target organ toxicity - Category 2

repeated exposure

Signal Word

Danger

Hazard Statements

H318 Causes serious eye damage.

H373 May cause damage to spleen through prolonged or repeated exposure.

Pictograms





Precautionary Statements

Prevention

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: February 10, 2020

Page 1 of 8

P260 Do not breathe vapours, fumes, and mists.

P280 Wear, eye protection, face protection

Response

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P314 Get medical advice or attention if you feel unwell.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Chemical name Common name(s) CAS number Concentration (w/w%)

Chlorous acid, sodium salt Sodium chlorite 7758-19-2 5-10%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Inhalation Get medical advice / attention if you feel unwell or are concerned.

Ingestion Get medical advice / attention if you feel unwell or are concerned.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. If skin

contact irritation occurs or if you feel unwell: Get medical advice / attention.

Eye Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing contact water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do.

Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the

face. Immediately call a POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation. Ingestion May cause discomfort or nausea. Skin contact May cause dryness or irritation. Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Specific hazards arising from Thermal decomposition occurs at 175 °C. Thermal decomposition yeilds toxic and the chemical corrosive chlorine gas, and sodium chlorate.

Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 10, 2020

Page 2 of 8

for fire-fighters

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

Section 06 Accidental Release Measures

Personal Precautions / **Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not breathe vapours, fumes, and

Environmental Precautions

Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

SMALL SPILLS: Stop or reduce leak if safe to do so. Clean up spill with non-reactive absorbent and place in suitable, covered, labeled containers. Flush area with water. Contaminated absorbent material may pose the same hazards as the spilled product. Use vented containers to avoid pressure buildup.

LARGE SPILLS: Contact fire and emergency services and supplier for advice.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of vapours, fumes, and mists into the workplace air.

> Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.

Incompatibilities

Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

Section 08 Exposure Controls and Personal Protection

Exposure limits

| Component | Regulation | Type of listing | Value |
|------------------|------------|-----------------|----------------------------------|
| Chlorine dioxide | ACGIH | TWA | 0.1 ppm (0.3 mg/m ³) |
| | | STEL / Ceiling | 0.3 ppm (0.9 mg/m ³) |

Engineering controls

Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: February 10, 2020 Page 3 of 8

Other

A soak hose and eyewash station or emergency shower and eyewash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection

Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.

Hand and body protection Respiratory protection

Where handling this product it is recommended that skin contact is avoided.

In case of insufficient ventilation wear suitable respiratory equipment.

NIOSH respirator recommendations for: Chlorine dioxide

Up to: 1 ppm

(APF = 10) Any chemical cartridge respirator with cartridge(s) providing protection against Chlorine dioxide

(APF = 10) Any supplied-air respirator

Up to: 2.5 ppm

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with cartridge(s) providing protection against Chlorine dioxiden

Up to: 5 ppm

(APF = 50) Any chemical cartridge respirator with a full facepiece and cartridge(s) providing protection against Chlorine dioxide

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against Chlorine dioxide

(APF = 50) Any self-contained breathing apparatus with a full facepiece.

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against Chlorine dioxide

Any appropriate escape-type, self-contained breathing apparatus

Thermal hazards

Not available

Section 09 Physical and Chemical Properties

Appearance

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: February 10, 2020

Physical state Liquid

Colour Clear colourless to light yellow

Odour Chlorine like
Odour threshold Not available

Property

pH >12.0
Melting point / freezing point -8 °C
Initial boiling point and 105 °C

boiling range

Flash point Not available Not available **Evaporation rate Flammability** Not applicable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Not available Vapour density Not available Relative density Not applicable

Partition coefficient: n-

octanol/water

Solubility

Log Kow = -2.7 @ 25 °C

Soluble in water

Auto-ignition temperature Not available

Decomposition temperature 175 °C

Decomposition temperature 175 °C

Viscosity Not available

Specific gravity 1.03-1.09 g/mL @ 20 °C

Formula NaClO₂
Molecular weight 90.45 g/mol

Section 10 Stability and Reactivity

ReactivityThis product is an oxidizer and will react with reducing agents and organic compounds such

as paper or wood to produce heat and could potentially catch fire. Reacts with acids to

produce chlorine dioxide gas.

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Oxidizing agents, such as oxygen, hydrogen peroxide, sulphuric and nitric acids,

hypochlorites and permanganates.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

Hazardous decomposition

Revision Date: February 10, 2020

products

Chlorine and chlorine oxides

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Page 5 of 8

Section 11 Toxicological Information

Acute Toxicity (LD50 values)

| Component | Route | Species | Value | Exposure time |
|-------------------------------|-------------------|---------|------------------|---------------|
| Acute toxicity estimate (10%) | Oral | Rat | >2,000 mg/kg bw | |
| Sodium chlorite | Dermal | Rabbit | >2,000 mg/ kg bw | |
| Sodium chlorite | Inhalation (dust) | Rat | 230 mg/m³ | 4 hours |

Toxic Health Effect Summary

Chemical Long term exposure (100 mg/L in drinking water over 12 months in male rats) can cause chloroform

characteristics build up in brain and liver tissues.

SkinMay cause dryness or irritation.IngestionMay cause discomfort or nausea.InhalationMay cause respiratory irritation.Eye contactCauses serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects.

Mutagenicity This product and its components at their listed concentration have no known mutagenic effects.

Carcinogenicity IARC has classified sodium chlorite as group 3, not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ toxicity

May cause damage to spleen through prolonged or repeated exposure.

Aspiration hazard Not available

Synergistic Not available

materials

Section 12 Ecological Information

Ecotoxicity

| Component | Туре | Species | Value | Exposure Time |
|-----------------|------|-----------------------------|----------|---------------|
| Sodium chlorite | LC50 | Marine water fish | 105 mg/L | 96 hours |
| | EC50 | freshwater invertabrates | 1 mg/L | 48 hours |
| | EC50 | freshwater algae | 1 mg/L | 96 hours |

Biodegradability The domestic substance list categorizes sodium chloroite as non-persistent.

Bioaccumulation The domestic substance list categorizes sodium chloroite as non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects The domestic substance list categorizes sodium chloroite as inherently toxic to aquatic

organisms.

Section 13 Disposal Considerations

Waste From Residues / Unused Products

Revision Date: February 10, 2020

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Page 6 of 8

Contaminated Packaging

Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN1908

UN proper shipping name

and description

CHLORITE SOLUTION

Transport hazard class(es) 8
Packing group III
Excepted quantities 5 L

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special provisions

Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: February 10, 2020

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

- 1) CHEMINFO
- 2) TOXNET

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: February 10, 2020 Page 7 of 8

- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB 7) PAN

Customer Service: 800.387.7503 Emergency: 306.664.2522 www.cleartech.ca Revision Date: February 10, 2020

Page 8 of 8