

Section 01 Identification

Product Identifier Sodium Hydroxide, Solid (Beads)

Other Means of Identification Caustic soda, sodium hydrate, lye **Product Use and Restrictions** For commercial and industrial use.

on Use

Initial Supplier Identifier ClearTech Industries Inc.

> 1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

24-Hour Emergency Phone 306.664.2522

Section 02 Hazard Identification

Physical Hazards

Corrosive to metals Category 1

Health Hazards

Skin corrosion / irritation Category 1 Serious eye damage / eye Category 1

irritation

Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Pictograms



Precautionary Statements

Prevention

P234 Keep only in original packaging.

P260 Do not breathe dust.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 30, 2025

Page 1 of 8

P264 Wash affected body parts thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection, face protection.

Response

P301 P330 P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 P361 P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or

P363 shower. Wash contaminated clothing before reuse.

P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a

POISON CENTER or doctor.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

P390 Absorb spillage to prevent material damage.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

Supplemental Information

Not available

Section 03 Composition / Information on Ingredients

Hazardous Ingredients:

Concentration (w/w%) Chemical name Common name(s) CAS number

Sodium Hydroxide Caustic Soda 1310-73-2 99-100%

Section 04 First-Aid Measures

Description of necessary first-aid measures

Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON

CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation

(AED). Avoid mouth to mouth contact by using a barrier device.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor. If vomiting occurs

naturally, lie on your side, in the recovery position.

Skin Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated contact clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 60 minutes.

Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use, or discard.

Eye Avoid direct contact. Wear chemical protective gloves, if necessary. Remove source of exposure or move contact person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while

holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 60 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a

POISON CENTER or doctor.

Most important symptoms and effects, both acute and delayed

Inhalation Causes severe burns to the mouth and throat.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 30, 2025

Ingestion Causes burns to the mouth and throat.

Skin contact Causes severe skin burns. Eve contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Section 05 Fire Fighting Measures

Suitable extinguishing media Extinguish fire using extinguishing agents suitable for the surrounding fire.

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

for fire-fighters

Water jets are not recommended in fires involving chemicals.

Reacts with many metals to liberate hydrogen gas that can form explosive mixtures. May release toxic or irritating fumes at high temperatures.

Special protective equipment Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

Section 06 Accidental Release Measures

Personal Precautions / Protective Equipment / **Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Stay upwind, ventilate area. Do not breathe dust. Do not use material

handling equipment with exposed metal surfaces.

Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

Environmental Precautions

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

Section 07 Handling and Storage

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of dust into the workplace air. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

Never add water to a corrosive. Always add corrosives to water. When mixing with water, stir small amounts in slowly. Use cold water to prevent excessive heat generation. Never

return contaminated material to its original container.

Conditions for Safe Storage Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

> materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible. Do not transfer to metal containers.

Incompatibilities Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

> acetic, citric, oxalic, and formic. Metals, such as aluminum.

Water, chlorinated hydrocarbons, flammable liquids, and nitrous compounds.

Section 08 Exposure Controls and Personal Protection

Exposure limits

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 30, 2025

Component	Regulation	Type of listing	Value
Sodium Hydroxide	ACGIH	STEL/Ceiling	2 mg/m³
	NIOSH	IDLH	10 mg/m ³

Engineering controls

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

> control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other An emergency shower and eyewash station should be available, tested, and be in close

proximity to the product being handled in accordance with provincial regulations.

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl

rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather

gloves are not recommended for chemical protection. Refer to manufacturer's

specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended; wash before reuse or

discard.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

NIOSH respirator recommendations for: Sodium hydroxide

Up to: 10 mg/m³

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with a high-efficiency particulate filter

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted N100, R100, or P100 filter.

(APF = 50) Any self-contained breathing apparatus with a full facepiece.

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary selfcontained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator with an N100, R100, or P100 filter.

Any appropriate escape-type, self-contained breathing apparatus

Thermal hazards Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 30, 2025

Section 09 Physical and Chemical Properties

Appearance

Physical state Beads White Colour Odour Odourless Odour threshold Not applicable

Property

pН Not applicable

Melting point / freezing point Initial boiling point and

boiling range

318 °C 1388 °C

Not applicable Flash point **Evaporation rate** Not available **Flammability** Non-flammable Upper flammable limit Not applicable Lower flammable limit Not applicable Not available Vapour pressure Vapour density Not available Relative density 2.13 g/cm³

Solubility Partition coefficient: n-

octanol/water

Not available

Soluble in water

Auto-ignition temperature Not applicable **Decomposition temperature** Not available Viscosity Not applicable Specific gravity Not applicable

Particle characteristics Particle size: Not available

Particle shape: Beads

Section 10 Stability and Reactivity

Reactivity May be corrosive to metals. Reacts with many metals to liberate hydrogen gas that can

form explosive mixtures. Reacts with water to generate heat. Reacts violently with acids.

Stability This product is stable if stored according to the recommendations in Section 07.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials. Do not heat. Moisture. Generation of dusts

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

> acetic, citric, oxalic, and formic. Metals, such as aluminum.

Water, chlorinated hydrocarbons, flammable liquids, and nitrous compounds.

Hazardous decomposition

products

Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 30, 2025

Page 5 of 8

Section 11 Toxicological Information

Acute Toxicity (LD50 / LC50 values)

Component Route **Species** Value **Exposure time**

Sodium hydroxide Oral Rat 140-340 mg/kg

> Dermal Rabbit 1350 mg/kg

Toxic Health Effect Summary

characteristics

Chemical Sodium hydroxide dissociates in ageous conditions, and thus is not bioavailable. All of it's toxic effects

are assumed to be related to it's effect on pH.

Skin Causes severe skin burns.

Ingestion Causes burns to the mouth and throat.

Inhalation Causes severe burns to the mouth and throat. sodium hydroxide can be classified toxic by inhalation,

> if the LC50 values are considered in isolation. However, there is no available evidence that sodium hydroxide causes systematic toxicity; all of its affects are localized and are therefore considered corrosive. This substance is already classified as corrosive, therefore also classifying it as toxic by

inhalation would be inappropriate.

Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. Mutagenicity This product and its components at their listed concentration have no known mutagenic effects. Carcinogenicity This product and its components at their listed concentration have no known carcinogenic effects.

Reproductive

toxicity

toxicity

This product and its components at their listed concentration have no known reproductive effects.

Specific organ This product and its components at their listed concentration have no known effects on specific

organs.

Not available Aspiration hazard **Synergistic**

materials

Not available

Section 12 Ecological Information

Ecotoxicity

Component	Туре	Species	Value	Exposure Time
Sodium Hydroxide	EC50	Water Flea	40.38 mg/L	48 hours
	LC50	Guppy	196 mg/L	96 Hours

Biodegradability The domestic substance list categorizes sodium hydroxide as persistent.

Bioaccumulation The domestic substance list categorizes sodium hydroxide as non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Aquatic toxicity of sodium hydroxide will be highly dependant on the buffering capacity of

the body of water it is released into.

Section 13 Disposal Considerations

Waste From Residues / **Unused Products**

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 30, 2025 Page 6 of 8

Contaminated Packaging

Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

Section 14 Transport Information

UN number UN1823

UN proper shipping name

and description

SODIUM HYDROXIDE, SOLID

Transport hazard class(es) 8
Packing group II
Excepted quantities 1 kg

Environmental hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautionsNo special precautionsTransport in bulkERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Secure containers (full or empty) during shipment and ensure all caps, valves, or closures

are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Section 16 Other Information

Date of latest revision: January 30, 2025

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

References:

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Revision Date: January 30, 2025

- 1) NIOSH Pocket Guide to Chemical Hazards; U.S. Department of Health and Human Services, https://www.cdc.gov/niosh/npg/default.html
- 2) WorkSafe BC E-Limit; Workers' Compensation Foard of British Columbia, https://elimit.online.worksafebc.com/
- 3) ECHA Registered Substance Dossier; European Chemicals Agency, https://echa.europa.eu/registration-dossier/-/registered-dossier/15566
- 4) Transportation of Dangerous Goods Regulations; Transport Canada, https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) Seventh revised edition
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007
- 7) The ACS Style Guide

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: January 30, 2025

Page 8 of 8