

### **Section 01 Identification**

Product Identifier Sodium Percarbonate

Sodium Percarbonate, Coated Sodium Percarbonate, Uncoated Sodium Carbonate Peroxyhydrate

Other Means of Identification Disodium carbonate, compound wit hydrogen peroxide (2:3); tetrasodium tris(peroxol)

dicarbonate; CAS Number: 15630-89-4

**Product Use and Restrictions** 

on Use

Bleaching agent, cleansing product, washing products: bleaching agent, chemical

intermediate, oxidant

Initial Supplier Identifier ClearTech Industries Inc.

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca

Prepared By ClearTech Industries Inc. technical writer

**24-Hour Emergency Phone** 306.664.2522

#### Section 02 Hazard Identification

**Physical Hazards** 

Oxidizing solid Category 3

**Health Hazards** 

Acute toxicity - oral Category 4
Serious eye damage / eye Category 1

irritation

ds eye damage / eye Call

Signal Word

**Danger** 

**Hazard Statements** 

H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

#### **Pictograms**



#### **Precautionary Statements**

Revision Date: August 02, 2022

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Page 1 of 7

#### Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P264 Wash affected body parts thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear, eye protection, face protection

#### Response

P301 P312 P330 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

P310 and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

#### Disposal

P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

#### **Hazards Not Otherwise Classified**

Not available

#### Supplemental Information

Not available

contact

### Section 03 Composition / Information on Ingredients

#### **Hazardous Ingredients:**

Common name(s) Chemical name **CAS** number Concentration (w/w%)

Tetrasodium tris(peroxol) dicarbonate Sodium percarbonate 15630-89-4 85-100%

#### Section 04 First-Aid Measures

#### Description of necessary first-aid measures

**Inhalation** Get medical advice / attention if you feel unwell or are concerned.

Ingestion Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

Skin Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. Store

contaminated clothing under water and wash before re-use or discard. If skin irritation occurs or if you feel

unwell: Get medical advice / attention.

Eve Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing contact water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do.

Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the

face. Immediately call a POISON CENTER or doctor.

#### Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation.

Ingestion Harmful if swallowed.

May cause mild irritation with prolonged contact. Skin contact

Eye contact Causes serious eye damage.

Further information For further information see Section 11 Toxicological Information.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: August 02, 2022

<sup>\*</sup>Exact concentration withheld as a trade secret.

### Section 05 Fire Fighting Measures

Suitable extinguishing media This material is an oxidizer. Use large quantities of water as fog to fight fires in which this

material is involved.

Unsuitable extinguishing

media

Carbon dioxide or other extinguishing agents that smother flames are not effective in fires involving oxidizers. Do NOT use dry chemical fire extinguishing agents containing

ammonium compounds (such as some A:B:C agents), since an explosive compound can

be formed. Water jets are not recommended in fires involving chemicals.

Specific hazards arising from

the chemical

May intensify fire; oxidizer. In the event of a fire oxides of carbon and sodium may be

released.

Special protective equipment

for fire-fighters

Wear NIOSH-approved self-contained breathing apparatus and chemical-protective

clothing.

### **Section 06 Accidental Release Measures**

Personal Precautions / Protective Equipment / Emergency Procedures Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials.

Stay upwind, ventilate area.

**Environmental Precautions** Prevent material from entering waterways, sewers or confined spaces. Notify local health

and wildlife officials. Notify operators of nearby water intakes.

Methods and Materials for Containment and Cleaning Up

Dry sweeping is not recommended. Pre-damping the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

### **Section 07 Handling and Storage**

Precautions for Safe Handling Use proper equipment for lifting and transporting all containers. Use sensible industrial

hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations

that could lead to harmful exposure.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills

and leaks readily available.

**Conditions for Safe Storage** Store in a cool, dry, well-ventilated area, away from heat sources and incompatible

materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect

label and keep it visible.

**Incompatibilities** Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

heat transfer fluids

Powdered metals, such as aluminum, steel, and brass.

# **Section 08 Exposure Controls and Personal Protection**

#### **Exposure limits**

There are no known exposure limits for this product.

#### **Engineering controls**

Customer Service: 800.387.7503 <u>www.cleartech.ca</u> Emergency: 306.664.2522

Revision Date: August 02, 2022

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

> control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other A soak hose and eyewash station or emergency shower and eyewash station should be

available, tested, and be in close proximity to the product being handled in accordance with

provincial regulations.

#### Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield

> or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to

severe eye injury.

Hand and body protection Where handling this product it is recommended that skin contact is avoided.

Respiratory protection In case of insufficient ventilation wear suitable respiratory equipment.

Not available Thermal hazards

### Section 09 Physical and Chemical Properties

#### **Appearance**

Physical state Granules Colour White Odour Odourless **Odour threshold** Not applicable

**Property** 

pН 10.4-10.6 @ 140 g/L

Melting point / freezing point Decomposes Initial boiling point and Decomposes

boiling range

Flash point Not applicable Evaporation rate Not available **Flammability** Non-flammable Upper flammable limit Not available Lower flammable limit Not available Vapour pressure Negligible Vapour density Not available Relative density 2.01-2.16 g/cm<sup>3</sup>

Water: 140 g/L @ 20 °C Solubility

Partition coefficient: n-

octanol/water

Not applicable

**Auto-ignition temperature** Not applicable

**Decomposition temperature** > 50 °C

Revision Date: August 02, 2022

Viscosity Not applicable

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

Page 4 of 7

Specific gravity Not applicable

Particle characteristics Particle size: Not available

Particle shape: Not available

**Formula** 2Na2CO3:3H2O2 Molecular weight 314.017 g/mol

### Section 10 Stability and Reactivity

Reactivity This product is an oxidizer and will react with reducing agents and organic compounds such

as paper or wood to produce heat and could potentially catch fire.

Stability This product is stable if stored according to the recommendations in Section 07. Exposure

to sunlight or high temperatures may cause the degradation of this product over time.

Possibility of hazardous

reactions

Hazardous polymerization is not known to occur.

Conditions to avoid Avoid contact with incompatible materials. Do not heat.

Incompatible materials Acids, such as sulphuric, nitric, hydrochloric, phosphoric, flurosilicic (HFSA), sulphonic,

acetic, citric, oxalic, and formic.

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates,

hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based

>2000 mg/kg

heat transfer fluids

Dermal

Powdered metals, such as aluminum, steel, and brass.

**Hazardous decomposition** 

products

Thermal decomposition may produce oxides of carbon and sodium.

## **Section 11 Toxicological Information**

#### Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Sodium percarbonate	Oral	Mouse	1034-2000 mg/kg	

Rabbit

#### **Toxic Health Effect Summary**

Chemical Product dissociates to sodium carbonate and hydrogen peroxide when dissolved in water. Sodium

carbonate will increase body pH. Hydrogen peroxide is a common metabolite. characteristics

Skin May cause mild irritation with prolonged contact. May cause mild irritation with prolonged contact.

Harmful if swallowed. Ingestion

Inhalation May cause respiratory irritation. Eye contact Causes serious eye damage.

Sensitization This product and its components at their listed concentration have no known sensitizing effects. This product and its components at their listed concentration have no known mutagenic effects. Mutagenicity This product and its components at their listed concentration have no known carcinogenic effects. Carcinogenicity This product and its components at their listed concentration have no known reproductive effects.

Reproductive toxicity

Specific organ

toxicity

This product and its components at their listed concentration have no known effects on specific

organs.

**Aspiration hazard** Not available

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: August 02, 2022

Page 5 of 7

**Synergistic** materials

Not available

## **Section 12 Ecological Information**

**Ecotoxicity** 

Component **Type** Species Value **Exposure Time** 

Sodium percarbonate LD50 fathead minnow 71 mg/L 96 hours

> EC50 Daphnia pulex 4.9 mg/L 48 hours

Biodegradability The domestic substance list categorizes sodium percarbonate as persistent.

**Bioaccumulation** The domestic substance list categorizes sodium percarbonate as non-bioaccumulative.

Mobility This product is water soluble, is not predicted to adsorb to soil and may contaminate ground

water.

Other adverse effects Not available

# **Section 13 Disposal Considerations**

Waste From Residues /

**Unused Products** 

Dispose in accordance with all federal, provincial, and local regulations including the

Canadian Environmental Protection Act.

**Contaminated Packaging** Do not remove label, follow label warnings even after the container is empty. Empty

containers should be recycled or disposed of at an approved waste handling facility.

# **Section 14 Transport Information**

**UN** number **UN3378** 

UN proper shipping name

and description

SODIUM CARBONATE PEROXYHYDRATE

Transport hazard class(es) 5.1 Ш Packing group 1 kg **Excepted quantities** 

**Environmental hazards** Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special precautions No special provisions Transport in bulk ERAP index: not available

MARPOL 73/78 and IBC Code:

This product is not listed in Chapter 17 of the IBC Code.

Additional information Not availableSecure containers (full or empty) during shipment and ensure all caps, valves,

or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

# Section 15 Regulatory Information.

NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

All components of this product appear on the domestic substance list.

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522

#### Section 16 Other Information

Date of latest revision: August 02, 2022

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

#### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

#### References:

- 1) CHEMINFO
- 2) TOXNET
- 3) eChemPortal
- 4) ECHA
- 5) Transportation of Dangerous Goods Canada
- 6) HSDB
- 7) PAN

Customer Service: 800.387.7503 www.cleartech.ca Emergency: 306.664.2522 Revision Date: August 02, 2022

Page 7 of 7