

---

## Section 01 Identification

---

<b>Product Identifier</b>	Sodium Percarbonate, Coated
<b>Other Means of Identification</b>	Sodium carbonate peroxide; Disodium carbonate, compound with hydrogen peroxide (2:3); tetrasodium tris(peroxol) dicarbonate; Code: SODPRCARBCOAT03; CAS Number: 15630-89-4
<b>Product Use and Restrictions on Use</b>	Bleaching agent, cleansing product, washing products: bleaching agent, chemical intermediate, oxidant
<b>Initial Supplier Identifier</b>	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7  Phone: 800.387.7503 Fax: 888.281.8109 <a href="http://www.cleartech.ca">www.cleartech.ca</a>
<b>Prepared By</b>	ClearTech Industries Inc. technical writer
<b>24-Hour Emergency Phone</b>	306.664.2522

---

## Section 02 Hazard Identification

---

### Physical Hazards

Oxidizing solid Category 3

### Health Hazards

Acute toxicity - oral Category 4

Serious eye damage / eye irritation Category 1

### Signal Word

Danger

### Hazard Statements

- H272 May intensify fire; oxidizer.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.

### Pictograms



### Precautionary Statements

### Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep away from clothing and other combustible materials.  
P264 Wash affected body parts thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves, eye protection, face protection.

## Response

- P301 P312 P330 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.  
P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.

## Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

## Hazards Not Otherwise Classified

Not available

## Supplemental Information

Not available

## Section 03 Composition / Information on Ingredients

### Hazardous Ingredients:

Chemical name	Common name(s)	CAS number	Concentration (w/w%)
Tetrasodium tris(peroxol) dicarbonate	Sodium carbonate peroxyhydrate	15630-89-4	85-100%

## Section 04 First-Aid Measures

### Description of necessary first-aid measures

- Inhalation** Get medical advice / attention if you feel unwell or are concerned.  
**Ingestion** Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.  
**Skin contact** Rinse skin with lukewarm, gently flowing water / shower for 5 minutes or until product is removed. Store contaminated clothing under water and wash before re-use or discard. If skin irritation occurs or if you feel unwell: Get medical advice / attention.  
**Eye contact** Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 30 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. Immediately call a POISON CENTER or doctor.

### Most important symptoms and effects, both acute and delayed

- Inhalation** May cause respiratory irritation.  
**Ingestion** Harmful if swallowed.  
**Skin contact** May cause mild irritation with prolonged contact.  
**Eye contact** Causes serious eye damage.  
**Further information** For further information see Section 11 Toxicological Information.

## Section 05 Fire Fighting Measures

<b>Suitable extinguishing media</b>	This material is an oxidizer. Use large quantities of water as fog to fight fires in which this material is involved.
<b>Unsuitable extinguishing media</b>	Carbon dioxide or other extinguishing agents that smother flames are not effective in fires involving oxidizers. Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed. Water jets are not recommended in fires involving chemicals.
<b>Specific hazards arising from the chemical</b>	May intensify fire; oxidizer. In the event of a fire oxides of carbon and sodium may be released.
<b>Special protective equipment for fire-fighters</b>	Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

## Section 06 Accidental Release Measures

<b>Personal Precautions / Protective Equipment / Emergency Procedures</b>	Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from clothing and other combustible materials. Stay upwind, ventilate area.
<b>Environmental Precautions</b>	Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.
<b>Methods and Materials for Containment and Cleaning Up</b>	Dry sweeping is not recommended. Pre-dampening the material or use of a vacuum is preferred. Shovel into clean, dry, labeled containers and cover. Flush area with water.

## Section 07 Handling and Storage

<b>Precautions for Safe Handling</b>	Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.
<b>Conditions for Safe Storage</b>	Store in a cool, dry, well-ventilated area, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible.
<b>Incompatibilities</b>	Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic. Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based heat transfer fluids Powdered metals, such as aluminum, steel, and brass.

## Section 08 Exposure Controls and Personal Protection

### Exposure limits

There are no known exposure limits for this product.

### Engineering controls

# Safety Data Sheet

Sodium Percarbonate, Coated  
ClearTech Industries Inc

<b>Ventilation Requirements</b>	Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.
<b>Other</b>	A soak hose and eyewash station or emergency shower and eyewash station should be available, tested, and be in close proximity to the product being handled in accordance with provincial regulations.

## Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

<b>Eye and face protection</b>	Where there is potential eye or face exposure, tightly fitting safety goggles and a face shield or a full face respirator or similar protective equipment which protects the wearer's face and eyes are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.
<b>Hand and body protection</b>	Where handling this product it is recommended that skin contact is avoided.
<b>Respiratory protection</b>	In case of insufficient ventilation wear suitable respiratory equipment.
<b>Thermal hazards</b>	Not available

## Section 09 Physical and Chemical Properties

### Appearance

<b>Physical state</b>	Granules
<b>Colour</b>	White
<b>Odour</b>	Odourless
<b>Odour threshold</b>	Not applicable

### Property

<b>pH</b>	10.4-10.6 @ 140 g/L
<b>Melting point / freezing point</b>	Decomposes
<b>Initial boiling point and boiling range</b>	Decomposes
<b>Flash point</b>	Not applicable
<b>Evaporation rate</b>	Not available
<b>Flammability</b>	Non-flammable
<b>Upper flammable limit</b>	Not available
<b>Lower flammable limit</b>	Not available
<b>Vapour pressure</b>	Negligible
<b>Vapour density</b>	Not available
<b>Relative density</b>	2.01-2.16 g/cm <sup>3</sup>
<b>Solubility</b>	Water: 140 g/L @ 20 °C
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Auto-ignition temperature</b>	Not applicable
<b>Decomposition temperature</b>	> 50 °C
<b>Viscosity</b>	Not applicable
<b>Specific gravity</b>	Not applicable

# Safety Data Sheet

Sodium Percarbonate, Coated  
ClearTech Industries Inc

**Particle characteristics**      Particle size: ≥95% @ 0.15-1.6 mm  
Particle shape: Granules

## Section 10 Stability and Reactivity

**Reactivity**      This product is an oxidizer and will react with reducing agents and organic compounds such as paper or wood to produce heat and could potentially catch fire.

**Stability**      This product is stable if stored according to the recommendations in Section 07. Exposure to sunlight or high temperatures may cause the degradation of this product over time.

**Possibility of hazardous reactions**      Hazardous polymerization is not known to occur.

**Conditions to avoid**      Avoid contact with incompatible materials. Do not heat.

**Incompatible materials**      Acids, such as sulphuric, nitric, hydrochloric, phosphoric, fluosilicic (HFSA), sulphonic, acetic, citric, oxalic, and formic.  
Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.  
Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol based heat transfer fluids  
Powdered metals, such as aluminum, steel, and brass.

**Hazardous decomposition products**      Thermal decomposition may produce oxides of carbon and sodium .

## Section 11 Toxicological Information

### Acute Toxicity (LD50 / LC50 values)

Component	Route	Species	Value	Exposure time
Sodium carbonate peroxyhydrate	Oral	Mouse	1034-2000 mg/kg	
	Dermal	Rabbit	>2000 mg/kg	

### Toxic Health Effect Summary

**Chemical characteristics**      Product dissociates to sodium carbonate and hydrogen peroxide when dissolved in water. Sodium carbonate will increase body pH. Hydrogen peroxide is a common metabolite.

**Skin**      May cause mild irritation with prolonged contact. May cause mild irritation with prolonged contact.

**Ingestion**      Harmful if swallowed.

**Inhalation**      May cause respiratory irritation.

**Eye contact**      Causes serious eye damage.

**Sensitization**      This product and its components at their listed concentration have no known sensitizing effects.

**Mutagenicity**      This product and its components at their listed concentration have no known mutagenic effects.

**Carcinogenicity**      This product and its components at their listed concentration have no known carcinogenic effects.

**Reproductive toxicity**      This product and its components at their listed concentration have no known reproductive effects.

**Specific organ toxicity**      This product and its components at their listed concentration have no known effects on specific organs.

**Aspiration hazard**      Not available

**Synergistic materials**      Not available

## Section 12 Ecological Information

### Ecotoxicity

# Safety Data Sheet

Sodium Percarbonate, Coated  
ClearTech Industries Inc

Component	Type	Species	Value	Exposure Time
Sodium carbonate peroxyhydrate	LD50	fathead minnow	71 mg/L	96 hours
	EC50	Daphnia pulex	4.9 mg/L	48 hours
Biodegradability	The domestic substance list categorizes sodium percarbonate as persistent.			
Bioaccumulation	The domestic substance list categorizes sodium percarbonate as non-bioaccumulative.			
Mobility	This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water.			
Other adverse effects	Not available			

## Section 13 Disposal Considerations

Waste From Residues / Unused Products	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

## Section 14 Transport Information

UN number	UN3378
UN proper shipping name and description	SODIUM CARBONATE PEROXYHYDRATE MIXTURE
Transport hazard class(es)	5.1
Packing group	II
Excepted quantities	1 kg
Environmental hazards	Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions	No special precautions
Transport in bulk	ERAP index: not available
Additional information	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code.
	Not availableSecure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position.

**TDG PRODUCT CLASSIFICATION:** This product has been classified on the preparation date specified at section 16 of this SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and published test data regarding the classification of this product are listed in the references at section 16 of this SDS.

## Section 15 Regulatory Information.

**NOTE: THE PRODUCT LISTED ON THIS SAFETY DATA SHEET HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN HAZARDOUS PRODUCTS REGULATIONS. THIS SAFETY DATA SHEET CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.**

All components of this product appear on the domestic substance list.

## Section 16 Other Information

Date of latest revision: July 02, 2025

**Note:** The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

**Attention: Receiver of the chemical goods / SDS coordinator**

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

**References:**

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/default.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Board of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://echa.europa.eu/registration-dossier/-/registered-dossier/15960>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide