

# Safety Data Sheet

# **Section 01 - Identification**

Product Identifier Suppressor 3579

Other Means of Identification None

**Product Use and Restrictions on** 

Use

Defoamer/antifoam

Initial Supplier Identifier ClearTech Industries Inc.

1500 Quebec Avenue Saskatoon, SK. Canada

S7K 1V7

Prepared By ClearTech Industries Inc. Technical Writer

Phone: 1 (800) 387-7503

**24-Hour Emergency Phone** Phone: 1 (306) 664 – 2522

#### Section 02 - Hazard Identification

#### **GHS-Classification**

This product has been assessed in accordance with the Hazardous Products Regulations and is not classified as a hazardous substance or mixture.

# Section 03 - Composition / Information on Ingredients

Chemical NameCAS NumberWeight %Unique IdentifiersWhite Mineral Oil<br/>Paraffin Wax8042-47-5<br/>8002-74-27-13%<br/>1-5%

### Section 04 - First Aid Measures

**Inhalation** If symptoms are experienced, remove victim to fresh air. Give artificial respiration only if

breathing has stopped. If breathing is difficult, give oxygen. Seek immediate medical

attention.

Skin Contact / Absorption Remove contaminated clothing. Rinse skin with lukewarm, gently flowing water and non-

abrasive soap. If irritation occurs or persists, seek medical attention. Completely

decontaminate clothing, shoes and leather goods before reuse or discard.

**Eye Contact** Do not allow victim to rub eye(s). Let the eye(s) water naturally allowing them to rinse the

product from the eye. If particle/dust does not dislodge, flush with lukewarm, gently flowing water for 15 minutes, while holding the eyelids open to ensure complete irrigation

of the eye tissue. If irritation persists, seek medical attention. DO NOT attempt to

manually remove anything stuck to the eye(s).

**Ingestion** Never give anything by mouth if victim is rapidly losing consciousness, is unconscious or

convulsing. Have victim rinse mouth and drink a glass of water. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Seek

medical attention.

#### **Additional Information**

There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Most Important Signs and Symptoms, both Acute and Delayed

May cause irritation to mucus membranes and skin, upon exposure. May cause abdominal pain, diarrhea, or vomiting when ingested.

# Section 05 - Fire Fighting Measures

Use extinguishing media appropriate for surrounding fire. Suitable Extinguishing Media

**Unsuitable Extinguishing Media** Not Available

**Specific Hazards Arising From the** 

Chemical

Carbon dioxide, carbon monoxide, formaldehyde, silicon dioxide, dimethylcyclosiloxanes, various hydrocarbon fragments, toxic vapours.

**Precautions for Fire-Fighters** 

Special Protective Equipment and Wear NIOSH-approved self-contained breathing apparatus and protective clothing.

**Further Information** Not Available

#### Section 06 - Accidental Release Measures

Personal Precautions / Protective **Equipment / Emergency** 

**Procedures** 

Wear appropriate personal protective equipment. Ventilate area. Only enter area with PPE. Stop or reduce leak if safe to do so.

**Environmental Precautions** Prevent material from entering sewers. Notify authorities if entry occurs.

**Methods and Materials for** Containment and Cleaning Up

Contain spill, place into drums for proper disposal. Soak up residue with inert absorbent material. Place in non-leaking containers for immediate disposal. Flush with water to remove any residue.

# Section 07 - Handling and Storage

#### **Precautions for Safe Handling**

This material is essentially non-toxic. Use proper equipment for lifting and transporting all containers. Use sensible industrial hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Do not swallow. Avoid breathing vapors, mists, or dust. Do not eat, drink, or smoke in work area. Wash thoroughly after handling. Avoid generating mist or aerosol during use.

#### **Conditions for Safe Storage**

Keep away from incompatible materials. Keep containers tightly closed. Do not store in unlabeled or mislabeled containers. To maintain product quality, do not store in heat or direct sunlight.

#### Incompatibilities

Oxidizing agents and strong acids and bases.

# Section 08 - Exposure Controls and Personal Protection

## **Exposure Limit(s)**

Component	Regulation	Type of Listing	Value
White Mineral Oil	OSHA – PEL	TWA	5 mg/m <sup>3</sup>
	NIOSH - REL	TWA	5 mg/m <sup>3</sup>
Paraffin Wax	NIOSH – REL	TWA	2 mg/m <sup>3</sup>

# **Engineering Control(s)**

Ventilation Requirements Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and

control of process conditions must be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by

exhaust systems.

Other Emergency shower and eyewash must be available and tested in accordance with

regulations and be in close proximity.

**Protective Equipment** 

**Eyes/Face** No specific requirement, but it is good practice to wear chemical safety goggles.

**Hand Protection** No specific requirement, but it is good practice to prevent skin contact.

**Skin and Body Protection**No specific requirement, but it is good practice to prevent skin contact.

No special footwear is required other than what is mandated at place of work.

**Respiratory Protection**None required under normal use. If vapors or mists are generated, wear:

NIOSH/MSHA-Approved organic vapor/mist respirator. DO NOT exceed limits established by the respirator manufacturer. All respiratory protection programs must comply with OSHA 29 CFR 1910.134 and ANSI Z88.2 requirements and must be

followed whenever workplace conditions require a respirator's use.

Thermal Hazards Not Available

# Section 09 - Physical and Chemical Properties

**Appearance** 

Physical State Liquid

Colour Opaque, light yellow to amber

Odour Mild oily odour

Odour Threshold Not Available

**Property** 

pH Not Available

Melting Point/Freezing Point Not Available

**Initial Boiling Point and Boiling** 

Range

Not Available

**Flash Point** 93.3°C (>200°F)

**Evaporation Rate** Not Available

Flammability Not Available

Upper Flammable Limit Not Available

Lower Flammable Limit Not Available

Vapour Pressure (mm Hg, 20°C) Not Available

Vapour Density (Air=1) Not Available

Relative Density Not Available

Solubility(ies) Insoluble in water

Partition Coefficient: n-

octanol/water

Not Available

Auto-ignition Temperature Not Available

**Decomposition Temperature** Not Available

Viscosity Not Available

**Explosive Properties** Not Available

Specific Gravity (Water=1) ~ 0.926 at 25°C

% Volatiles by Volume Not Available

Formula Mixture

Molecular Weight Not Available

## Section 10 - Stability and Reactivity

Reactivity Not Available

Stability Stable under recommended storage conditions.

Possibility of Hazardous

Reactions

Hazardous polymerization will not occur under normal conditions.

Conditions to Avoid Not Available

**Incompatible Materials** Oxidizing agents and strong acids and bases.

**Hazardous Decomposition** 

**Products** 

Carbon monoxide, carbon dioxide, silicone dioxide, formaldehyde, dimethylcyclosiloxanes,

oxidizing agents and toxic vapours.

# Section 11 - Toxicological Information

#### **Acute Toxicity**

ComponentOral LD50Dermal LD50Inhalation LC50White Mineral Oil>5000 mg/kg (rat)Not AvailableNot AvailableParaffin Wax>3750 mg/kg (rat)>3600 mg/kg (rabbit)Not Available

#### Chronic Toxicity - Carcinogenicity

Component IARC

Suppressor 3579

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by

IARC, NTP, or OSHA, as a carcinogen.

**Skin Corrosion/Irritation** May cause mild irritation. No adverse effects expected from incidental contact.

**Ingestion** No hazard expected under normal use. May be harmful if swallowed.

**Inhalation** No hazard expected under normal use. Aerosols and mists may cause irritation to the

respiratory tract and nausea.

**Serious Eye Damage/Irritation** May cause mild irritation.

**Respiratory or Skin Sensitization** Not Available

Germ Cell Mutagenicity Not Available

Reproductive Toxicity Not Available

STOT-Single Exposure Not Available

STOT-Repeated Exposure Not Available

Aspiration Hazard Not Available

Synergistic Materials Not Available

**Further Information** This product contains methylpolysiloxanes which can generate formaldehydes at

approximately 150°C and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential

cancer hazard.

## Section 12 – Ecological Information

**Ecotoxicity** 

Component Toxicity to Algae Toxicity to Fish Toxicity to Daphnia and Other Aquatic Invertebrates

Suppresor 3579 Not Available Not Available Not Available

Biodegradability Not Available

Bioaccumulation Not Available

Mobility Not Available

Other Adverse Effects Not Available

# Section 13 – Disposal Considerations

Waste From Residues/Unused

**Products** 

Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

Contaminated Packaging Dispose in accordance with all federal, provincial, and/or local regulations including the

Canadian Environmental Protection Act.

# Section 14 - Transport Information

UN Number Not Regulated

UN Proper Shipping Name Not Regulated

Transport Hazard Class(es) Not Regulated

Packaging Group Not Regulated

Environmental Hazards Not listed as a marine pollutant under Canadian TDG Regulations, schedule III.

Special Precautions Not Available

Transport in Bulk Not Available

TDG

Other Secure containers (full and/or empty) with suitable hold down devises during shipment and

ensure all caps, valves, or closures are secured in the closed position.

TDG PRODUCT CLASSIFICATION: This product has been classified on the preparation date specified at section 14 of this MSDS / SDS, for transportation in accordance with the requirements of part 2 of the Transportation of Dangerous Goods Regulations. If applicable, testing and/or published test data regarding the classification of this product are listed in the references at section 16 of this MSDS / SDS.

## Section 15 – Regulatory Information

NOTE: THE PRODUCT LISTED ON THIS SDS HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CANADIAN CONTROLLED PRODUCTS REGULATIONS. THIS SDS CONTAINS ALL INFORMATION REQUIRED BY THOSE REGULATIONS.

#### Section 16 – Other Information

Preparation Date March 13, 2018

Revision Date July 4, 2018

**Note:** The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

#### Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the Canadian Association of Chemical Distributors (CACD) Responsible Distribution<sup>®</sup> initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns please call our customer service center.

#### References:

- 1) CHEMINFO
- 2) eChemPortal
- 3) TOXNET
- 4) Transportation of Dangerous Goods Canada
- 5) HSDB
- 6) ECHA

#### **ClearTech Industries Inc. - Locations**

Corporate Head Office: 1500 Quebec Avenue, Saskatoon, SK, S7K 1V7 Phone: 1(306) 664 – 2522

Fax: 1(888) 281-8109

www.cleartech.ca

24 Hour Emergency Number - All Locations - 1(306) 664-2522