



Safety Data Sheet

CHLORINE

SECTION 1. IDENTIFICATION

Product Identifier	Chlorine Chlorine Liquified Gas, NSF® - 60
Other Means of Identification	Code: CL2** CAS: 7782-50-5
Product Use and Restrictions on Use	Used in water treatment as a disinfectant and oxidizer. This product is certified to NSF / ANSI / CAN standard 60 for use in drinking water, see section 15 and the NSF website for further information.
Initial Supplier Identifier	ClearTech Industries Inc. 1500 Quebec Avenue Saskatoon, SK. Canada S7K 1V7 Phone: 800.387.7503 Fax: 888.281.8109 www.cleartech.ca
24-Hour Emergency Phone	306.664.2522

SECTION 2. HAZARD IDENTIFICATION

Oxidizing gas	Category 1
Gas under pressure	Liquified gas
Acute toxicity - inhalation	Category 2
Skin corrosion / irritation	Category 2
Serious eye damage / eye irritation	Category 2
Specific target organ toxicity - single exposure	Category 3
Hazardous to the aquatic environment - acute hazard	Category 1

Pictograms



Signal Word: Danger

Hazard Statements

- H270 May cause or intensify fire; oxidizer.
- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.



Safety Data Sheet

CHLORINE

Precautionary Statements

Prevention

- P220 Keep away from clothing and other combustible materials.
- P244 Keep valves and fittings free from oil and grease.
- P260 Do not breathe gas.
- P264 Wash affected body parts thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, eye protection, face protection.
- P284 In case of inadequate ventilation wear respiratory protection.

Response

- P303 P352 P332 IF ON SKIN (or hair): Wash with plenty of water. If skin irritation occurs: Get medical advice / attention. Take off contaminated clothing and wash it before reuse.
- P313 P362 P364
- P304 P340 P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
- P305 P351 P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
- P337 P313
- P370 P376 In case of fire: Stop leak if safe to do so.
- P391 Collect spillage.

Storage

- P403 Store in a well-ventilated place.
- P233 Keep container tightly closed.
- P405 Store locked up.
- P410 Protect from sunlight.

Disposal

- P501 Dispose of contents / container in accordance with all federal, provincial and / or local regulations including the Canadian Environmental Protection Act.

Hazards Not Otherwise Classified

Not available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:

<i>Chemical name</i>	<i>Common name(s)</i>	<i>CAS number</i>	<i>Concentration (w/w%)</i>
Chlorine	Chlorine	7782-50-5	99.5-100%



Safety Data Sheet

CHLORINE

SECTION 4. FIRST-AID MEASURES

Description of necessary first-aid measures

- Inhalation** Take precautions to ensure your own safety before attempting a rescue (wear appropriate protective equipment, use the buddy system). Remove source of exposure or move person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. If breathing has stopped, trained personnel should begin rescue breathing or if the heart has stopped, immediately start cardiopulmonary resuscitation (CPR) or automated external defibrillation (AED). Avoid mouth to mouth contact by using a barrier device. Call a POISON CENTER or doctor if you feel unwell.
- Ingestion** Rinse mouth. Get medical advice / attention if you feel unwell or are concerned.
- Skin contact** Avoid direct contact. Wear chemical protective clothing, if necessary. Take off immediately contaminated clothing, shoes and leather goods. Rinse skin with lukewarm, gently flowing water / shower for 15 to 20 minutes. Get medical advice / attention. Wash contaminated clothing before re-use or discard.
- Eye contact** Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for 15 to 20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice / attention.

Most important symptoms and effects, both acute and delayed

- Inhalation** Fatal if inhaled. May cause respiratory irritation. Nasal discharge, coughing, pain, nausea, vomiting, headache, dizziness, pulmonary edema, hypoxia
- Ingestion** May cause discomfort or nausea. Not an expected route of exposure, see inhalation.
- Skin contact** Causes skin irritation. Dermatitis, with liquid contact: frostbite.
- Eye contact** Causes serious eye irritation. Burning and tears
- Further information** For further information see Section 11 Toxicological Information.

SECTION 5. FIRE FIGHTING MEASURES

- Suitable extinguishing media** Extinguish fire using extinguishing agents suitable for the surrounding fire.
- Unsuitable extinguishing media** Do NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed. Water jets are not recommended in fires involving chemicals. Use water with caution, as it reacts with chlorine to form highly corrosive hypochlorous acid.
- Specific hazards arising from the chemical** May cause or intensify fire; oxidizer. Contains gas under pressure; may explode if heated. Chlorine is heavier than air and may collect in low lying areas.
- Special protective equipment for fire-fighters** Wear NIOSH-approved self-contained breathing apparatus and chemical-protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions / Protective Equipment / Emergency Procedures** Wear appropriate personal protective equipment (See Section 08 Exposure Controls and Personal Protection). Keep away from clothing and other combustible materials. Stay upwind, ventilate area. Do not breathe gas.
- Environmental Precautions** Do NOT let this chemical enter the environment. Prevent material from entering waterways, sewers or confined spaces. Notify local health and wildlife officials. Notify operators of nearby water intakes.



Safety Data Sheet

CHLORINE

Methods and Materials for Containment and Cleaning Up

LARGE SPILLS or LEAKS: Ventilate the area to prevent the gas from accumulating, especially in confined spaces. If possible, turn leaking container so that gas escapes rather than liquefied gas. Knock down gas with fog or fine water spray. Do not direct water at spill or source.

Get expert advice before treating the spilled product with other chemicals to make it less hazardous. May be absorbed and neutralized into water solutions of caustic soda or soda ash and placed in steel, cast iron or lead containers. This disposal operation should be conducted by trained personnel only. This reaction can give off substantial amounts of heat. The caustic solution can be hazardous.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

A soak hose and eyewash station or emergency shower and eyewash station should be available, tested, and be near to the product being handled in accordance with provincial regulations.

Use sensible workplace hygiene and housekeeping practices. Wash thoroughly after handling. Avoid all situations that could lead to harmful exposure. Prevent the release of gas into the workplace air.

Inspect containers for damage or leaks before handling. If the original label is damaged or missing replace with a workplace label. Have suitable emergency equipment for fires, spills and leaks readily available.

Never return contaminated material to its original container.

Conditions for Safe Storage

Store in a cool, dry, well-ventilated area, out of direct sunlight, away from heat sources and incompatible materials. Always store in original labeled container. Keep containers tightly closed when not in use and when empty. Empty containers may contain hazardous residues. Protect label and keep it visible. Do not store below ground level or in confined spaces.

Incompatibilities

Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid.

Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol-based heat transfer fluids

Water, ammonia and ammonia-based compounds, powdered metal.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure limits

Component	Regulation	Type of listing	Value
Chlorine	ACGIH	TWA	0.1 ppm (0.29 mg/m ³)
	ACGIH	STEL/Ceiling	1.0 ppm (2.9 mg/m ³)
	NIOSH	IDLH	10 ppm (29 mg/m ³)

Engineering controls

Ventilation Requirements

Mechanical ventilation (dilution or local exhaust), process or personnel enclosure and control of process conditions should be provided in accordance with all fire codes and regulatory requirements. Supply sufficient replacement air to make up for air removed by exhaust systems.



Safety Data Sheet

CHLORINE

Protective equipment

The following are recommendations only. It is the responsibility of the employer / user to conduct a hazard assessment of the process in which this product being used and determine the proper engineering controls and PPE for their process. Additional regulatory and safety information should be sought from local authorities and, if needed, a professional industrial hygienist.

Eye and face protection	Where there is potential eye or face exposure, tightly fitting chemical goggles are recommended. Contact lenses are not recommended; they may contribute to severe eye injury.
Hand and body protection	Disposable latex or nitrile gloves are recommended to prevent incidental contact. Butyl rubber, neoprene, or PVC skin protection is recommended for extended contact. Leather gloves are not recommended for chemical protection. Refer to manufacturer's specifications for breakthrough times and permeability information; note that breakthrough times and permeability vary with temperature, application and age of material. Continued use of contaminated safety gear or clothing is not recommended, wash before reuse or discard.
Respiratory protection	Individual approved emergency escape respirators should be carried by workers, when working where this product is stored. In emergency conditions SCBAs are recommended.

For NIOSH respirator recommendations for: Chlorine see section 16

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Compressed liquified gas
Colour	Green-yellow gas; amber liquid
Odour	Pungent
Odour threshold	0.06 ppm (detection)
pH	Not available
Melting point / freezing point	-101.05 °C @ 101.3 kPa
Initial boiling point and boiling range	-34.05 °C @ 101.3 kPa
Flash point	Not applicable
Evaporation rate	Not applicable (gas)
Flammability	Not flammable
Upper flammable limit	Not available
Lower flammable limit	Not available
Vapour pressure	678 kPa (6.69 atm) @ 20 °C
Vapour density	2.46 @ 0 °C
Relative density	Not applicable
Solubility	7.41 g/L in water @ 20 °C, pH: ~7
Partition coefficient: n-octanol/water	Log Kow = -0.85 @ 20 °C
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not applicable



Safety Data Sheet

CHLORINE

Specific gravity	Not applicable
Particle characteristics	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	This product is an oxidizer and will react with reducing agents and organic compounds such as paper or wood to produce heat and could catch fire.
Stability	This product is stable if stored according to the recommendations in Section 07.
Possibility of hazardous reactions	Reacts with water to produce large amount of heat and highly corrosive hypochlorous acid.
Conditions to avoid	Keep away from clothing and other combustible materials. Avoid contact with incompatible materials. Do not heat.
Incompatible materials	Reducing agents, such as hydrogen, sodium borohydride, sulphur dioxide, thiosulphates, hydrazine, phosphites, carbon, and oxalic, formic and ascorbic acid. Organic material, such as wood, paper, gasoline, diesel, solvents and some glycol-based heat transfer fluids Water, ammonia and ammonia-based compounds, powdered metal.
Hazardous decomposition products	Hydrogen chloride gas, hypochlorous acid

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity (LD50 / LC50 values)

<i>Component</i>	<i>Route</i>	<i>Species</i>	<i>Value</i>	<i>Exposure time</i>
Chlorine	Oral	Rat	1100 mg/kg	
	Inhalation	Rat	0.65 mg/m ³	1 hour
	Dermal	Rat	>20,000 mg/kg	

Toxic Health Effect Summary

Chemical characteristics	Chlorine readily reacts with water to form highly corrosive hypochlorous acid.
Skin	Causes skin irritation. Dermatitis, with liquid contact: frostbite.
Ingestion	May cause discomfort or nausea. Not an expected route of exposure, see inhalation.
Inhalation	Fatal if inhaled. May cause respiratory irritation. Nasal discharge, coughing, pain, nausea, vomiting, headache, dizziness, pulmonary edema, hypoxia
Eye contact	Causes serious eye irritation. Burning and tears
Sensitization	This product and its components at their listed concentration have no known sensitizing effects.
Mutagenicity	This product and its components at their listed concentration have no known mutagenic effects.
Carcinogenicity	This product and its components at their listed concentration have no known carcinogenic effects.
Reproductive toxicity	This product and its components at their listed concentration have no known reproductive effects.
Specific organ toxicity	This product and its components at their listed concentration have no known effects on specific organs.
Aspiration hazard	Not available
Synergistic materials	Not available



Safety Data Sheet

CHLORINE

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<i>Component</i>	<i>Type</i>	<i>Species</i>	<i>Value</i>	<i>Exposure Time</i>
Chlorine	LC50	Marine fish	0.032 mg/L	96 hours
	LC50	Marine invertabrates	0.026 mg/L	48 hours
	LC50	Freshwater algae	0.023 mg/L	72 hours

Biodegradability	The domestic substance list categorizes Chlorine as persistent.
Bioaccumulation	The domestic substance list categorizes Chlorine as non-bioaccumulative.
Mobility	This product is water soluble, is not predicted to adsorb to soil and may contaminate ground water. This product will evaporate and may be spread via wind.
Other adverse effects	The domestic substance list categorizes Chlorine as inherently toxic to aquatic organisms.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste From Residues / Unused Products	Dispose in accordance with all federal, provincial, and local regulations including the Canadian Environmental Protection Act.
Contaminated Packaging	Do not remove label, follow label warnings even after the container is empty. Empty containers should be recycled or disposed of at an approved waste handling facility.

SECTION 14. TRANSPORT INFORMATION

UN number	UN1017
UN proper shipping name and description	CHLORINE
Transport hazard class(es)	2.3 (5.1) (8)
Packing group	Not applicable
Excepted quantities	None
Environmental hazards	Listed as a marine pollutant under Canadian TDG Regulations, schedule III.
Special precautions	No special precautions
Transport in bulk	ERAP index: 500 kg
Additional information	MARPOL 73/78 and IBC Code: This product is not listed in Chapter 17 of the IBC Code.
	Secure containers (full or empty) during shipment and ensure all caps, valves, or closures are secured in the closed position. Special Provisions:

SECTION 15. REGULATORY INFORMATION

All components of this product appear on the domestic substance list.

NSF Certification: Chlorine is certified to NSF / ANSI / CAN Standard 60 for disinfection and oxidation at a maximum dosage of 30 mg/L. NSF product use restrictions based on requirements obtained from the NSF website; consult NSF website for current requirements.

Chlorine is listed in the National Pollutant Release Inventory (NPRI). Reporting threshold: 10 tonnes manufactured, processed or otherwise used.



Safety Data Sheet

CHLORINE

SECTION 16. OTHER INFORMATION

Date of latest revision: February 19, 2026

Note: The responsibility to provide a safe workplace remains with the buyer / user. The buyer / user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damages incurred by the use of this material. It is the responsibility of the buyer / user to comply with all applicable laws and regulations regarding handling, using, reselling and shipping this product.

Attention: Receiver of the chemical goods / SDS coordinator

As part of our commitment to the RDC Responsible Distribution® initiative, ClearTech Industries Inc. and its associated companies require, as a condition of sale, that you forward the attached Safety Data Sheet(s) to all affected employees, customers, and end-users. ClearTech will send any available supplementary handling, health, and safety information to you at your request.

If you have any questions or concerns, please call our customer service center.

References:

- 1) *NIOSH Pocket Guide to Chemical Hazards*; U.S. Department of Health and Human Services, <https://www.cdc.gov/niosh/npg/npgd0115.html>
- 2) *WorkSafe BC E-Limit*; Workers' Compensation Board of British Columbia, <https://elimit.online.worksafebc.com/>
- 3) *ECHA - Registered Substance Dossier*; European Chemicals Agency, <https://chem.echa.europa.eu/100.029.053>
- 4) *Transportation of Dangerous Goods Regulations*; Transport Canada, <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2001-286/index.html>
- 5) Globally Harmonized System of Classification and Labeling of Chemicals (GHS) *Seventh revised edition*
- 6) International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code) 2007 Edition
- 7) The ACS Style Guide